

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
1ATWG128-D-1/1-EB	0005-AR	1x4	Diffuse	F28T5	81.9		25779
1ATWG128-DO-1/1-EB	0005-AR	1x4	Diffuse/Overlay	F28T5	66.3		27388
1ATWG128-PMW-1/1-EB	0005-AR	1x4	Round Perf.	F28T5	36.7		27389
1ATWG128-SMW-1/1-EB	0005-AR	1x4	Slotted Perf.	F28T5	46.0		27162
1ATWG128-WO-1/1-EB	0005-AR	1x4	Radial Louver	F28T5	53.4		26859
1ATWG132-D-1/1-EB	0005-AR	1x4	Diffuse	F32T8	70.9		25778
1ATWG132-DO-1/1-EB	0005-AR	1x4	Diffuse/Overlay	F32T8	53.3		27393
1ATWG132-PMW-1/1-EB	0005-AR	1x4	Round Perf.	F32T8	30.3		27391
1ATWG132-SMW-1/1-EB	0005-AR	1x4	Slotted Perf.	F32T8	34.3		27167
1ATWG132-WO-1/1-EB	0005-AR	1x4	Radial Louver	F32T8	42.0		27392
1ATWG154HO-D-1/1-EB	0005-AR	1x4	Diffuse	F54T5HO	78.6		27381
1ATWG154HO-DO-1/1-EB	0005-AR	1x4	Diffuse/Overlay	F54T5HO	56.3		27382
1ATWG154HO-PMW-1/1-EB	0005-AR	1x4	Round Perf.	F54T5HO	30.4		27165
1ATWG154HO-SMW-1/1-EB	0005-AR	1x4	Slotted Perf.	F54T5HO	42.6		27166
1ATWG154HO-WO-1/1-EB	0005-AR	1x4	Radial Louver	F54T5HO	57.1		26858
1ATWG228-D-1/1-EB	0005-AR	1x4	Diffuse	F28T5	82.6		26627
1ATWGA128-D-1/1-EB	0015-AR	1x4	Diffuse	F28T5	81.9		25779
1ATWGA128-DO-1/1-EB	0015-AR	1x4	Diffuse/Overlay	F28T5	66.3		27388
1ATWGA128-PMW-1/1-EB	0015-AR	1x4	Round Perf.	F28T5	36.7		27389
1ATWGA128-SMW-1/1-EB	0015-AR	1x4	Slotted Perf.	F28T5	46.0		27162
1ATWGA128-WO-1/1-EB	0015-AR	1x4	Radial Louver	F28T5	53.4		26859
1ATWGA132-D-1/1-EB	0015-AR	1x4	Diffuse	F32T8	70.9		25778
1ATWGA132-DO-1/1-EB	0015-AR	1x4	Diffuse/Overlay	F32T8	53.3		27393
1ATWGA132-PMW-1/1-EB	0015-AR	1x4	Round Perf.	F32T8	30.3		27391
1ATWGA132-SMW-1/1-EB	0015-AR	1x4	Slotted Perf.	F32T8	34.3		27167
1ATWGA132-WO-1/1-EB	0015-AR	1x4	Radial Louver	F32T8	42.0		27392
1ATWGA154HO-D-1/1-EB	0015-AR	1x4	Diffuse	F54T5HO	78.6		27381
1ATWGA154HO-DO-1/1-EB	0015-AR	1x4	Diffuse/Overlay	F54T5HO	56.3		27382
1ATWGA154HO-PMW-1/1-EB	0015-AR	1x4	Round Perf.	F54T5HO	30.4		27165
1ATWGA154HO-SMW-1/1-EB	0015-AR	1x4	Slotted Perf.	F54T5HO	42.6		27166
1ATWGA154HO-WO-1/1-EB	0015-AR	1x4	Radial Louver	F54T5HO	57.1		26858
1ATWGA228-D-1/1-EB	0015-AR	1x4	Diffuse	F28T5	82.7		26627
1AVAG232-PMW-1/2-EB	0299-AR	1x4	Asymmetric	F32T8	57.8		23827
1AVG228-LMWS-1/2-EB	0255-AR	1x4	Louver	F28T5	65.1		27707
1AVG232-LMWS-1/2-EB	0255-AR	1x4	Louver	F32T8	65.2		27644
1AVG232-PMW-1/2-EB	0207-AR	1x4	Center Basket	F32T8	54		20035
1AVG232-SPMW-1/2-EB	0215-AR	1x4	Split Basket	F32T8	52.7		26733
1AVG2CF18-PMW-1/2-EB	0205-AR	1X1	Center Basket	CF18	43.4		21380
1AVLG254HO-PMW-1/2-EB	0415-AR	1x4	Semi-	F54T5HO	50.3		23992

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
1DAG132-FS177-1/1-EB	725-SA	1x4	1 lamp	F32T8	73.8		17170
1DCLG232-FA21-1/2-EB	SA2301	1x4	2 lamp	F32T8	66.8		15551
1DG132-FS01-1/1-EB	402-SR	1x4	1 lamp	F32T8	78.1		15549
1DG132-FS176-1/1-EB	721-SA	1x4	1 lamp	F32T8	50.4		17172
1DG132-FS19-1/1-EB	402-SR	1x4	1 lamp	F32T8	68.9		16361
1DG132-FS72-1/1-EB	723-SA	1x4	1 lamp	F32T8	76.1		17171
1DG232-FS01-1/2-EB	402-SR	1x4	2 lamp	F32T8	69.8		15184
1DG232-FS176-1/2-EB	721-SA	1x4	2 lamp	F32T8	46.9		17166
1DG232-FS19-1/2-EB	402-SR	1x4	2 lamp	F32T8	64		16360
1DG232-FS72-1/2-EB	723-SA	1x4	2 lamp	F32T8	72.3		17168
1DG232-TFS56-1/2-EB	709-SA	1x4	2 lamp	F32T8	61.7		16183
1DG332-FS01-1/3-EB	402-SR	1x4	3 lamp	F32T8	67.7		15554
1DG332-FS19-1/3-EB	510-AH	1x4	3 lamp	F32T8	63.7		16343
1DGS132-186FL-1/1-EB	130-VDT	1x4	1 lamp	F32T8	50.2		14929
1DGS132-45FL-1/1-EB	120-VDT	1x4	1 lamp	F32T8	57.2		14928
1DGS132-FA01-1/1-EB	510-AH	1x4	1 lamp	F32T8	72.6		15550
1DGS232-186FL-1/2-EB	130-VDT	1x4	2 lamp	F32T8	46.5		14934
1DGS232-45FL-1/2-EB	120-VDT	1x4	2 lamp	F32T8	53.1		14935
1DGS232-FA01-1/2-EB	510-AH	1x4	2 lamp	F32T8	66.8		15551
1DGS332-FA01-1/3-EB	510-AH	1x4	3 lamp	F32T8	62.1		15555
1DWLG232-FS01-1/2-EB	705-SA	1x4	2 lamp	F32T8	69.8		15184
1F232-PP-1/2-EB	1420-IF	4 Foot	10% Uplight	F32T8	95.9		27930
1F232-PR-1/2-EB	1420-IF	4 Foot	10% Uplight	F32T8	89.6		ITL42336
1F259-PP-1/2-EB	1421-IF	8 foot	10% Uplight	F96T8 Slimline	93.6		ITL42342
1F259-PR-1/2-EB	1421-IF	8 foot	10% Uplight	F96T8 Slimline	91.6		ITL42344
1F296HO-PP-1/2-EB	1422-IF	8 foot	10% Uplight	F96T12HO	90.4		ITL42348
1F296HO-PR-1/2-EB	1422-IF	8 foot	10% Uplight	F96T12HO	85.7		ITL42352
1F296-PP	1421-IF	8 foot	10% Uplight	F96T12 Slimline	92.3		ITL42338
1F296-PR-1/2-EB	1421-IF	8 foot	10% Uplight	F96T12 Slimline	89.7		ITL42340
1F296VH-PP	1423-IF	8 foot	10% Uplight	F96T12VHO	86.3		ITL42354
1F296VH-PR	1423-IF	8 foot	10% Uplight	F96T12VHO	83.5		ITL42355
1F332-PP-1/3-EB	1420-IF	4 Foot	10% Uplight	F32T8	95.2		27933
1F332-PR-1/3-EB	1420-IF	4 Foot	10% Uplight	F32T8	86.5		ITL42337
1F359-PP-1/21-EB	1421-IF	8 foot	10% Uplight	F96T8 Slimline	90.4		ITL42343
1F359-PR-1/21-EB	1421-IF	8 foot	10% Uplight	F96T8 Slimline	87.3		ITL42345
1F396HO-PP	1422-IF	8 foot	10% Uplight	F96T12HO	85.6		ITL42347
1F396HO-PR	1422-IF	8 foot	10% Uplight	F96T12HO	82.4		ITL42351
1F396-PP	1421-IF	8 foot	10% Uplight	F96T12 Slimline	88.6		ITL42339
1F396-PR	1421-IF	8 foot	10% Uplight	F96T12 Slimline	84.5		ITL42341

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
1F432-PP-1/4-EB	1420-IF	4 Foot	10% Uplight	F32T8	92.0		27932
1FD232-P2-1/2-EB	1430-IF	4 Foot		F32T8	86.3		20269
1FD232-P4-120-1/2-EB	1430-IF	4 Foot		F32T8	89.2		20268
1FD232-PP-1/2-EB	1430-IF	4 Foot		F32T8	95.9		27930
1FD232-PR-1/2-EB	1430-IF	4 Foot		F32T8	89.6		ITL42336
1FD259-PP-1/2-EB	1431-IF	8 foot		F96T8 Slimline	93.6		ITL42342
1FD259-PR-1/2-EB	1431-IF	8 foot		F96T8 Slimline	91.6		ITL42344
1FD296HO-PP-1/2-EB	1432-IF	8 foot		F96T12HO	90.4		ITL42348
1FD296HO-PR-1/2-EB	1432-IF	8 foot		F96T12HO	85.7		ITL42352
1FD296VH-PP	1433-IF	8 foot		F96T12VHO	86.3		ITL42354
1FD296VH-PR	1433-IF	8 foot		F96T12VHO	83.4		ITL42355
1FD332-PP-1/3-EB	1430-IF	4 Foot		F32T8	95.2		27933
1FD332-PR-1/3-EB	1430-IF	4 Foot		F32T8	86.5		ITL42337
1LP3GS132-16AL-1/1-EB	240-PLV	1x4	1 lamp	F32T8	72.8		20580
1LP3GS132-16FL-1/1-EB	240-PLV	1x4	1 lamp	F32T8	76.5		20586
1LP3GS132-16SL-1/1-EB	240-PLV	1x4	1 lamp	F32T8	73.2		20576
1LP3GS132-16W-1/1-EB	240-PLV	1x4	1 lamp	F32T8	76.4		20582
1LP3GS132-18AL-1/1-EB	240-PLV	1x4	1 lamp	F32T8	70.2		20581
1LP3GS132-18FL-1/1-EB	240-PLV	1x4	1 lamp	F32T8	74.5		20587
1LP3GS132-18SL-1/1-EB	240-PLV	1x4	1 lamp	F32T8	71.1		20577
1LP3GS132-18W-1/1-EB	240-PLV	1x4	1 lamp	F32T8	73.9		20583
1LP3GS232-16AL-1/2-EB	241-PLV	1x4	2 lamp	F32T8	70.2		20630
1LP3GS232-16FL-1/2-EB	241-PLV	1x4	2 lamp	F32T8	73.8		20623
1LP3GS232-16SL-1/2-EB	241-PLV	1x4	2 lamp	F32T8	70.4		20611
1LP3GS232-16W-1/2-EB	241-PLV	1x4	2 lamp	F32T8	74.2		20617
1LP3GS232-18AL-1/2-EB	241-PLV	1x4	2 lamp	F32T8	68.1		20631
1LP3GS232-18FL-1/2-EB	241-PLV	1x4	2 lamp	F32T8	71.7		20624
1LP3GS232-18SL-1/2-EB	241-PLV	1x4	2 lamp	F32T8	68.6		20612
1LP3GS232-18W-1/2-EB	241-PLV	1x4	2 lamp	F32T8	71.5		20618
1LP3GS232-26AL-1/2-EB	243-PLV	1x4	2 lamp	F32T8	60.5		20633
1LP3GS232-26FL-1/2-EB	243-PLV	1x4	2 lamp	F32T8	65.1		20627
1LP3GS232-26SL-1/2-EB	243-PLV	1x4	2 lamp	F32T8	61.3		20615
1LP3GS232-26W-1/2-EB	243-PLV	1x4	2 lamp	F32T8	64.7		20620
1LP3GS232-28AL-1/2-EB	243-PLV	1x4	2 lamp	F32T8	57.8		20634
1LP3GS232-28FL-1/2-EB	243-PLV	1x4	2 lamp	F32T8	63.7		20628
1LP3GS232-28SL-1/2-EB	243-PLV	1x4	2 lamp	F32T8	59.4		20616
1LP3GS232-28W-1/2-EB	243-PLV	1x4	2 lamp	F32T8	62.4		20621
1P3AGS132-18FL-1/1-EB	719-SA	1x4	1 lamp	F32T8	72.6		17182
1P3AGS232-18FL-1/2-EB	719-SA	1x4	2 lamp	F32T8	69.3		17165

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
1P3GS132-16FL-1/1-EB	220-PLV	1x4	1 lamp	F32T8	76.8		15654
1P3GS132-16SL-1/1-EB	220-PLV	1x4	1 lamp	F32T8	73.8		15655
1P3GS132-18FL-1/1-EB	220-PLV	1x4	1 lamp	F32T8	73.8		15656
1P3GS132-18SL-1/1-EB	220-PLV	1x4	1 lamp	F32T8	71		15657
1P3GS232-16FL-1/2-EB	221-PLV	1x4	2 lamp	F32T8	75.7		15649
1P3GS232-16SL-1/2-EB	221-PLV	1x4	2 lamp	F32T8	72.7		15650
1P3GS232-18FL-1/2-EB	221-PLV	1x4	2 lamp	F32T8	72.5		15651
1P3GS232-18SL-1/2-EB	221-PLV	1x4	2 lamp	F32T8	69.8		15652
1P3GS232-26FL-1/2-EB	223-PLV	1x4	2 lamp	F32T8	70		15645
1P3GS232-26SL-1/2-EB	223-PLV	1x4	2 lamp	F32T8	67.8		15646
1P3GS232-28FL-1/2-EB	223-PLV	1x4	2 lamp	F32T8	67.3		15647
1P3GS232-28SL-1/2-EB	223-PLV	1x4	2 lamp	F32T8	65.5		15648
1P3GS2V32-16FL-1/2-EB	222-PLV	1x4	2 lamp	F32T8	68.5		16287
1P3GS2V32-16SL-1/2-EB	222-PLV	1x4	2 lamp	F32T8	65.9		16286
1P3GS2V32-18FL-1/2-EB	222-PLV	1x4	2 lamp	F32T8	66		16288
1P3GS2V32-18SL-1/2-EB	222-PLV	1x4	2 lamp	F32T8	62.6		16246
1S3P132-16FL-1/1-EB	920-SS	1x4	1 lamp	F32T8	78.7		15846
1S3P132-16SL-1/1-EB	920-SS	1x4	1 lamp	F32T8	75.7		15847
1S3P132-18FL-1/1-EB	920-SS	1x4	1 lamp	F32T8	76.1		15848
1S3P132-18SL-1/1-EB	920-SS	1x4	1 lamp	F32T8	73		15849
1S3P232-16FL-1/2-EB	920-SS	1x4	2 lamp	F32T8	77		15842
1S3P232-16SL-1/2-EB	920-SS	1x4	2 lamp	F32T8	73.6		15843
1S3P232-18FL-1/2-EB	920-SS	1x4	2 lamp	F32T8	74.4		15844
1S3P232-18SL-1/2-EB	920-SS	1x4	2 lamp	F32T8	71.7		15845
1S3P232-26FL-1/2-EB	921-SS	1x4	2 lamp	F32T8	70.6		15838
1S3P232-26SL-1/2-EB	921-SS	1x4	2 lamp	F32T8	68.4		15839
1S3P232-28FL-1/2-EB	921-SS	1x4	2 lamp	F32T8	68		15840
1S3P232-28SL-1/2-EB	921-SS	1x4	2 lamp	F32T8	65.4		15841
1SATWG128-D-1/1-EB	0145-AR	1x4	Diffuse	F28T5	81.9		25779
1SATWG128-DO-1/1-EB	0145-AR	1x4	Diffuse/Overlay	F28T5	66.3		27388
1SATWG128-PMW-1/1-EB	0145-AR	1x4	Round Perf.	F28T5	36.7		27389
1SATWG128-SMW-1/1-EB	0145-AR	1x4	Slotted Perf.	F28T5	46.0		27162
1SATWG128-WO-1/1-EB	0145-AR	1x4	Radial Louver	F28T5	53.4		26859
1SATWG132-D-1/1-EB	0145-AR	1x4	Diffuse	F32T8	70.9		25778
1SATWG132-DO-1/1-EB	0145-AR	1x4	Diffuse/Overlay	F32T8	53.3		27393
1SATWG132-PMW-1/1-EB	0145-AR	1x4	Round Perf.	F32T8	30.3		27391
1SATWG132-SMW-1/1-EB	0145-AR	1x4	Slotted Perf.	F32T8	34.3		27167
1SATWG132-WO-1/1-EB	0145-AR	1x4	Radial Louver	F32T8	42.0		27392
1SATWG154HO-D-1/1-EB	0145-AR	1x4	Diffuse	F54T5HO	78.6		27381

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
1SATWG154HO-DO-1/1-EB	0145-AR	1x4	Diffuse/Overlay	F54T5HO	56.3		27382
1SATWG154HO-PMW-1/1-EB	0145-AR	1x4	Round Perf.	F54T5HO	30.4		27165
1SATWG154HO-SMW-1/1-EB	0145-AR	1x4	Slotted Perf.	F54T5HO	42.6		27166
1SATWG154HO-WO-1/1-EB	0145-AR	1x4	Radial Louver	F54T5HO	57.1		26858
1SATWG228-D-1/1-EB	0145-AR	1x4	Diffuse	F28T5	82.7		26627
1SM132-FS01-1/2-EB	930-SS	1x4	1 lamp	F32T8	73		15520
1SM232-FS01-1/2-EB	930-SS	1x4	2 lamp	F32T8	72.9		15519
1SM232-TFS56-1/2-EB	713-SA	1x4	2 lamp	F32T8	56.1		16313
1STB126PLT-D-1/1-EB	0161-AR	1x1	Diffuse	26wPLT	72.0		28447
1STB126QPL-D-1/1-EB	0161-AR	1x1	Diffuse	26wQPL	62.0		28446
1STB132PLT-D-1/1-EB	0161-AR	1x1	Diffuse	32wPLT	81.0		28448
1STB142PLT-D-1/1-EB	0161-AR	1x1	Diffuse	42wPLT	81.0		28449
1STG128-D-1/1-EB	0165-AR	1x4	Diffuse	F28T5	93.0		27091
1STG128-PMW-1/1-EB	0165-AR	1x4	Round Perf.	F28T5	82.3		27090
1STG132-D-1/1-EB	0165-AR	1x4	Diffuse	F32T8	80.5		27095
1STG132-PMW-1/1-EB	0165-AR	1x4	Round Perf.	F32T8	72.1		27096
1STG228-D-1/2-EB	0165-AR	1x4	Diffuse	F28T5	81.9		27104
1STG228-PMW-1/2-EB	0165-AR	1x4	Round Perf.	F28T5	76.0		271011
1STGA128-D-1/1-EB	0175-AR	1x4	Diffuse	F28T5	93.0		27091
1STGA128-PMW-1/1-EB	0175-AR	1x4	Round Perf.	F28T5	82.3		27090
1STGA132-D-1/1-EB	0175-AR	1x4	Diffuse	F32T8	80.5		27095
1STGA132-PMW-1/1-EB	0175-AR	1x4	Round Perf.	F32T8	72.1		27096
1STGA228-D-1/2-EB	0175-AR	1x4	Diffuse	F28T5	81.9		27104
1STGA228-PMW-1/2-EB	0175-AR	1x4	Round Perf.	F28T5	76.0		271011
1TG132-01-1/1-EB	421-SR	1x4	1 lamp	F32T8	78.1		15549
1TG132-01-EB-SI	421-SR	1x4	1 lamp	F32T8	75.8		CD868
1TG232-01-1/2-EB	421-SR	1x4	2 lamp	F32T8	69.8		15184
1TG232-PL3-1/2-EB	140-VDT	1x4	2 lamp	F32T8	50		15155
1TG332-01-1/3-EB	421-SR	1x4	3 lamp	F32T8	67.7		15554
1UGS132-19FL-1/1-EB	102-VDT	1x4	1 lamp	F32T8	64.3		16382
1UGS132-19FL-120	102-VDT	1x4	1 lamp	F32T8	63.8		16388
1UGS132-19SL-1/1-EB	102-VDT	1x4	1 lamp	F32T8	62		16383
1UGS132-19SL-120	102-VDT	1x4	1 lamp	F32T8	61.3		16389
1UGS232-19FL-1/2-EB	102-VDT	1x4	2 lamp	F32T8	61.8		16380
1UGS232-19FL-120	102-VDT	1x4	2 lamp	F32T8	62		16390
1UGS232-19SL-1/2-EB	102-VDT	1x4	2 lamp	F32T8	59.9		16384
1UGS232-19SL-120	102-VDT	1x4	2 lamp	F32T8	58.9		16391
1UGS2V32-19FL-1/2-EB	103-VDT	1x4	Over & Under	F32T8	60		16381
1UGS2V32-19FL-120	103-VDT	1x4	2 lamp vertical	F32T8	60.2		16393

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
1UGS2V32-19SL-1/2-EB	103-VDT	1x4	Over & Under	F32T8	57.4		16385
1UGS2V32-19SL-120	103-VDT	1x4	2 lamp vertical	F32T8	58.1		16392
20DGS232-FA01-1/2-EB	514-AH	20x48	2 lamp	F32T8	75		15599
20DGS332-FA01-1/3-EB	514-AH	20x48	3 lamp	F32T8	71.4		15602
20DGS432-FA01-1/4-EB	514-AH	20x48	4 lamp	F32T8	69.3		15603
20DPG232-FS01-1/2-EB	406-SR	20x48	2 lamp	F32T8	78.2		15600
20DPG332-FS01-1/3-EB	406-SR	20x48	3 lamp	F32T8	73.2		15601
20DPG432-FS01-1/4-EB	406-SR	20x48	4 lamp	F32T8	72.7		15604
20P3GS232-26FL-1/2-EB	230-PLV	20x48	2 lamp	F32T8	81.1		15611
20P3GS232-26SL-1/2-EB	230-PLV	20x48	2 lamp	F32T8	77.9		15612
20P3GS332-36FL-1/3-EB	231-PLV	20x48	3 lamp	F32T8	73.3		15617
20P3GS332-36SL-1/3-EB	231-PLV	20x48	3 lamp	F32T8	71.2		15618
20P3GS432-26FL-1/4-EB	230-PLV	20x48	4 lamp	F32T8	77.2		15608
20P3GS432-26SL-1/4-EB	230-PLV	20x48	4 lamp	F32T8	74.2		15609
2ATNG214-D-1/2-EB	0007-AR	2x2	Diffuse	F14T5	91		25582
2ATNG214-DO-1/2-EB	0007-AR	2x2	Diffuse/Overlay	F14T5	73		25882
2ATNG214-PMW-1/2-EB	0007-AR	2x2	Round Perf.	F14T5	43.9		25888
2ATNG214-SMW-1/2-EB	0007-AR	2x2	Slotted Perf.	F14T5	46.7		25878
2ATNG214-WO-1/2-EB	0007-AR	2x2	Radial Louver	F14T5	57.3		27525
2ATNG217-D-1/2-EB	0007-AR	2x2	Diffuse	F17T8	77.5		25531
2ATNG217-DO-1/2-EB	0007-AR	2x2	Diffuse/Overlay	F17T8	63.8		25897
2ATNG217-PMW-1/2-EB	0007-AR	2x2	Round Perf.	F17T8	39.1		25892
2ATNG217-SMW-1/2-EB	0007-AR	2x2	Slotted Perf.	F17T8	41.5		25894
2ATNG217-WO-1/2-EB	0007-AR	2x2	Radial Louver	F17T8	59.3		27550
2ATNG224HO-D-1/2-EB	0007-AR	2x2	Diffuse	F24T5HO	76.5		25836
2ATNG224HO-DO-1/2-EB	0007-AR	2x2	Diffuse/Overlay	F24T5HO	61.6		25835
2ATNG224HO-PMW-1/2-EB	0007-AR	2x2	Round Perf.	F24T5HO	41		25837
2ATNG224HO-SMW-1/2-EB	0007-AR	2x2	Slotted Perf.	F24T5HO	41.9		25838
2ATNG224HO-WO-1/2-EB	0007-AR	2x2	Radial Louver	F24T5HO	58.0		27508
2ATNG228-D-1/2-EB	0009-AR	2x4	Diffuse	F28T5	85		25459
2ATNG228-DO-1/2-EB	0009-AR	2x4	Diffuse/Overlay	F28T5	71.5		25458
2ATNG228-PMW-1/2-EB	0009-AR	2x4	Round Perf.	F28T5	46.6		25798
2ATNG228-SMW-1/2-EB	0009-AR	2x4	Slotted Perf.	F28T5	45.8		25803
2ATNG228-WO-1/2-EB	0009-AR	2x4	Radial Louver	F28T5	68.2		25800
2ATNG232-D-1/2-EB	0009-AR	2x4	Diffuse	F32T8	88		25418
2ATNG232-DO-1/2-EB	0009-AR	2x4	Diffuse/Overlay	F32T8	75.2		25415
2ATNG232-PMW-1/2-EB	0009-AR	2x4	Round Perf.	F32T8	47.9		25790
2ATNG232-SMW-1/2-EB	0009-AR	2x4	Slotted Perf.	F32T8	46.8		25791
2ATNG254HO-D-1/2-EB	0009-AR	2x4	Diffuse	F54T5HO	72.2		27376

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
2ATNG254HO-DO-1/2-EB	0009-AR	2x4	Diffuse/Overlay	F54T5HO	60.8		27378
2ATNG254HO-PMW-1/2-EB	0009-AR	2x4	Round Perf.	F54T5HO	35.0		27379
2ATNG254HO-SMW-1/2-EB	0009-AR	2x4	Slotted Perf.	F54T5HO	38.2		27380
2ATNG254HO-WO-1/2-EB	0009-AR	2x4	Radial Louver	F54T5HO	55.3		27377
2ATNG2CF40-D-1/2-EB	0007-AR	2x2	Diffuse	CF40	79.6		25739
2ATNG2CF40-PMW-1/2-EB	0007-AR	2x2	Round Perf.	CF40	33.7		26384
2ATNG2CF40-SMW-1/2-EB	0007-AR	2x2	Slotted Perf.	CF40	39.3		26383
2ATNG2CF40-WO-1/2-EB	0007-AR	2x2	Radial Louver	CF40	56.7		26385
2ATNGA214-D-1/2-EB	0017-AR	2x2	Diffuse	F14T5	84.8		25582
2ATNGA214-DO-1/2-EB	0017-AR	2x2	Diffuse/Overlay	F14T5	73.0		25882
2ATNGA214-PMW-1/2-EB	0017-AR	2x2	Round Perf.	F14T5	43.9		25888
2ATNGA214-SMW-1/2-EB	0017-AR	2x2	Slotted Perf.	F14T5	46.7		25878
2ATNGA214-WO-1/2-EB	0017-AR	2x2	Radial Louver	F14T5	57.3		27525
2ATNGA217-D-1/2-EB	0017-AR	2x2	Diffuse	F17T8	77.5		25531
2ATNGA217-DO-1/2-EB	0017-AR	2x2	Diffuse/Overlay	F17T8	63.8		25897
2ATNGA217-PMW-1/2-EB	0017-AR	2x2	Round Perf.	F17T8	39.1		25892
2ATNGA217-SMW-1/2-EB	0017-AR	2x2	Slotted Perf.	F17T8	41.5		25894
2ATNGA217-WO-1/2-EB	0017-AR	2x2	Radial Louver	F17T8	59.3		27550
2ATNGA224HO-D-1/2-EB	0017-AR	2x2	Diffuse	F24T5HO	76.5		25836
2ATNGA224HO-DO-1/2-EB	0017-AR	2x2	Diffuse/Overlay	F24T5HO	61.6		25835
2ATNGA224HO-PMW-1/2-EB	0017-AR	2x2	Round Perf.	F24T5HO	41.0		25837
2ATNGA224HO-SMW-1/2-EB	0017-AR	2x2	Slotted Perf.	F24T5HO	41.9		25838
2ATNGA224HO-WO-1/2-EB	0017-AR	2x2	Radial Louver	F24T5HO	58.0		27508
2ATNGA228-D-1/2-EB	0019-AR	2x4	Diffuse	F28T5	84.9		25459
2ATNGA228-DO-1/2-EB	0019-AR	2x4	Diffuse/Overlay	F28T5	71.5		25458
2ATNGA228-PMW-1/2-EB	0019-AR	2x4	Round Perf.	F28T5	46.6		25798
2ATNGA228-SMW-1/2-EB	0019-AR	2x4	Slotted Perf.	F28T5	45.8		25803
2ATNGA228-WO-1/2-EB	0019-AR	2x4	Radial Louver	F28T5	68.2		25800
2ATNGA232-D-1/2-EB	0019-AR	2x4	Diffuse	F32T8	88.0		25418
2ATNGA232-DO-1/2-EB	0019-AR	2x4	Diffuse/Overlay	F32T8	75.2		25415
2ATNGA232-PMW-1/2-EB	0019-AR	2x4	Round Perf.	F32T8	47.9		25790
2ATNGA232-SMW-1/2-EB	0019-AR	2x4	Slotted Perf.	F32T8	46.8		25791
2ATNGA254HO-D-1/2-EB	0019-AR	2x4	Diffuse	F54T5HO	72.2		27376
2ATNGA254HO-DO-1/2-EB	0019-AR	2x4	Diffuse/Overlay	F54T5HO	60.8		27378
2ATNGA254HO-PMW-1/2-EB	0019-AR	2x4	Round Perf.	F54T5HO	35.0		27379
2ATNGA254HO-SMW-1/2-EB	0019-AR	2x4	Slotted Perf.	F54T5HO	38.2		27380
2ATNGA254HO-WO-1/2-EB	0019-AR	2x4	Radial Louver	F54T5HO	55.3		27377
2ATNGA2CF40-D-1/2-EB	0017-AR	2x2	Diffuse	CF40	79.6		25739
2ATNGA2CF40-PMW-1/2-EB	0017-AR	2x2	Round Perf.	CF40	33.7		26384

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
2ATNGA2CF40-SMW-1/2-EB	0017-AR	2x2	Slotted Perf.	CF40	39.3		26383
2ATNGA2CF40-WO-1/2-EB	0017-AR	2x2	Radial Louver	CF40	56.7		26385
2ATWG214-D-1/2-EB	0007-AR	2x2	Diffuse	F14T5	87.8		25599
2ATWG217-D-1/2-EB	0007-AR	2x2	Diffuse	F17T8	74.1		25545
2ATWG217-DO-1/2-EB	0007-AR	2x2	Diffuse/Overlay	F17T8	65.4		25903
2ATWG224HO-D-1/2-EB	0007-AR	2x2	Diffuse	F24T5HO	81.9		25862
2ATWG228-D-1/2-EB	0009-AR	2x4	Diffuse	F28T5	90.2		25469
2ATWG228-DO-1/2-EB	0009-AR	2x4	Diffuse/Overlay	F28T5	79.1		25473
2ATWG232-D-1/2-EB	0009-AR	2x4	Diffuse	F32T8	84.3		25445
2ATWG232-DO-1/2-EB	0009-AR	2x4	Diffuse/Overlay	F32T8	73.9		25446
2ATWG232-WO-1/2-EB	0009-AR	2x4	Radial Louver	F32T8	69.7		25793
2ATWG254HO-D-1/2-EB	0009-AR	2x4	Diffuse	F54T5HO	70.7		27374
2ATWGA214-D-1/2-EB	0017-AR	2x2	Diffuse	F14T5	87.8		25599
2ATWGA217-D-1/2-EB	0017-AR	2x2	Diffuse	F17T8	74.1		25545
2ATWGA217-DO-1/2-EB	0017-AR	2x2	Diffuse/Overlay	F17T8	65.4		25903
2ATWGA224HO-D-1/2-EB	0017-AR	2x2	Diffuse	F24T5HO	81.9		25862
2ATWGA228-D-1/2-EB	0019-AR	2x4	Diffuse	F28T5	90.2		25469
2ATWGA228-DO-1/2-EB	0019-AR	2x4	Diffuse/Overlay	F28T5	79.1		25473
2ATWGA232-D-1/2-EB	0019-AR	2x4	Diffuse	F32T8	84.3		25445
2ATWGA232-DO-1/2-EB	0019-AR	2x4	Diffuse/Overlay	F32T8	73.9		25446
2ATWGA232-WO-1/2-EB	0019-AR	2x4	Radial Louver	F32T8	69.7		25793
2ATWGA254HO-D-1/2-EB	0019-AR	2x4	Diffuse	F54T5HO	70.7		27374
2AVCG2CF42-PMW-1/2-EB	0307-AR	2x2	Cloud	CF42	58		25198
2AVDG214-PMW-EB	0407-AR	2x2	Mid Depth	F14T5	65.3		27578
2AVDG217-PMW-EB	0407-AR	2x2	Mid Depth	F17T8	70.9		27894
2AVDG224HO-PMW-EB	0407-AR	2x2	Mid Depth	F24T5HO	70.4		27587
2AVDG228-PMW-EB	0409-AR	2x4	Mid Depth	F28T5	74.8		27600
2AVDG232-PMW-EB	0409-AR	2x4	Mid Depth	F32T8	71.6		27893
2AVDG254HO-PMW-EB	0409-AR	2x4	Mid Depth	F54T5HO	69.8		27605
2AVDG2CF40-PMW-EB	0407-AR	2x2	Mid Depth	CF40	65.6		27590
2AVDG317-PMW-EB	0407-AR	2x2	Mid Depth	F17T8	67.2		27895
2AVDG328-PMW-EB	0409-AR	2x4	Mid Depth	F28T5	71.9		27596
2AVDG332-PMW-EB	0409-AR	2x4	Mid Depth	F32T8	67.5		27892
2AVDG354HO-PMW-EB	0409-AR	2x4	Mid Depth	F54T5HO	68.2		27602
2AVEG214-FGL-EB	0276-AR	2x2	Essence Glass	F14T5	65.6		27580
2AVEG214-PMW-EB	0275-AR	2x2	Essence	F14T5	64.0		27579
2AVEG224HO-FGL-EB	0276-AR	2x2	Essence Glass	F24T5HO	70.1		27583
2AVEG224HO-PMW-EB	0275-AR	2x2	Essence	F24T5HO	66.7		27586
2AVEG228-FGL-EB	0278-AR	2x4	Essence Glass	F28T5	71.3		27905

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
2AVEG228-PMW-EB	0277-AR	2x4	Essence	F28T5	72.3		27599
2AVEG254HO-FGL-EB	0278-AR	2x4	Essence Glass	F54T5HO	62.9		27906
2AVEG254HO-PMW-EB	0277-AR	2x4	Essence	F54T5HO	65.4		27604
2AVEG2CF40-FGL-EB	0276-AR	2x2	Essence Glass	CF40	65.8		27593
2AVEG2CF40-PMW-EB	0275-AR	2x2	Essence	CF40	59.1		27591
2AVEG328-PMW-EB	0277-AR	2x4	Essence	F28T5	67.1		27598
2AVEG354HO-PMW-EB	0277-AR	2x4	Essence	F54T5HO	61.4		27603
2AVG1CF40-PMW-1/1-EB	0209-AR	2x2	Center Basket	CF40	63.7		20056
2AVG217-ACR-1/2-EB	0225-AR	2x2	Acrylic	F17T8	76.5		26722
2AVG217-PMW-1/2-EB	0209-AR	2x2	Center Basket	F17T8	55.4		20043
2AVG228-ACR-1/2-EB	0227-AR	2x4	Acrylic	F28T5	84.0		28544
2AVG232-ACR-1/2-EB	0227-AR	2x4	Acrylic	F32T8	80		26728
2AVG232-PMW-1/2-EB	0211-AR	2x4	Center Basket	F32T8	68.6		25911
2AVG232-SPMW-1/2-EB	0219-AR	2x4	Split Basket	F32T8	58		26732
2AVG2CF40-ACR-1/2-EB	0225-AR	2x2	Acrylic	CF40	85.8		26738
2AVG2CF40-PMW-1/2-EB	0209-AR	2x2	Center Basket	CF40	64.8		20055
2AVG2CF40-SPMW-1/2-EB	0217-AR	2x2	Split Basket	CF40	60.5		26740
2AVG317-ACR-1/3-EB	0225-AR	2x2	Acrylic	F17T8	73		26720
2AVG332-ACR-1/3-EB	0227-AR	2x4	Acrylic	F32T8	80.4		26750
2AVG332-LMWS-1/21-EB	0259-AR	2x4	Louver	F32T8	59.8		23585
2AVG332-PMW-1/3-EB	0211-AR	2x4	Center Basket	F32T8	64.9		25512
2AVG332-SPMW-1/3-EB	0219-AR	2x4	Split Basket	F32T8	52.1		26748
2AVG3CF40-LMWS-1/21-EB	0257-AR	2x2	Louver	CF40	54		23576
2AVG4CF40-PMW-2/2-EB	0211-AR	2x4	Center Basket	CF40	61		20054
2AVGA232-PMW-1/2-EB	0287-AR	2x4	Air	F32T8	57.8		24697
2AVGA2CF40-PMW-1/2-EB	0285-AR	2x2	Air	CF40	60.6		24684
2AVGA317-PMW-1/3-EB	0285-AR	2x2	Air	F17T8	52.6		24695
2AVGA332-PMW-1/3-EB	0287-AR	2x4	Air	F32T8	56.5		24696
2AVLG254HO-PMW-1/2-EB	0419-AR	2x4	Semi-	F54T5HO	61.6		23873
2AVLG2CF40-PMW-1/2-EB	0417-AR	2x2	Semi-	CF40	60.9		21272A
2AVMG232-LMWG-1/2-EB	0267-AR	2x4	Metal Louver	F32T8	41.6		25250
2AVMG232-PMW-1/2-EB	0237-AR	2x4	Metal	F32T8	53.8		25249
2AVMG2CF40-LMWG-1/2-EB	0265-AR	2x2	Metal Louver	CF40	44.9		25256
2AVMG2CF40-PMW-1/2-EB	0235-AR	2x2	Metal	CF40	43.1		25255
2AVMG332-LMWG-1/3-EB	0267-AR	2x4	Metal Louver	F32T8	39.5		25244
2AVMG332-PMW-1/3-EB	0237-AR	2x4	Metal	F32T8	50.7		25243
2AVMG3CF40-LMWG-1/3-EB	0265-AR	2x2	Metal Louver	CF40	39.9		25253
2AVMG3CF40-PMW-1/3-EB	0235-AR	2x2	Metal	CF40	37.2		25254
2AVRG1CF40-PMW-1/1-EB	0305-AR	2x2	Orb	CF40	61.9		26745

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
2AVSG232-PMW-1/2-EB	0297-AR	2x4	Side Basket	F32T8	56.3		23590
2AVSG2CF40-PMW-1/2-EB	0295-AR	2x2	Side Basket	CF40	51.1		23878
2DCLG231U1-FA21-EB	SA2302	2x2	2 lamp	31U1	69.2		15951
2DCLG240U6-FA21	SA2302	2x2	2 lamp	40U6	63.5		15987
2DCLG432-FA21	SA2303	2x4	4 lamp	F32T8	74.4		15565
2DGS231U1-169FL-1/2-EB	133-VDT	2x2	2 lamp	31U1	55.8		15464
2DGS231U1-49FL-1/2-EB	123-VDT	2x2	2 lamp	31U1	58.5		15397
2DGS232-105FL-1/2-EB	125-VDT	2x4	2 lamp	F32T8	65.9		14912
2DGS232-377FL-1/2-EB	135-VDT	2x4	2 lamp	F32T8	61.9		14913
2DGS2CF40-169-FL-1/2-EB	132-VDT	2x2	2 lamp	CF40	61.3		15466
2DGS2CF40-49FL-1/2-EB	122-VDT	2x2	2 lamp	CF40	69		15396
2DGS331U1-169FL-1/3-EB	133-VDT	2x2	3 lamp	31U1	50.8		15470
2DGS331U1-49FL-1/3-EB	123-VDT	2x2	3 lamp	31U1	54.7		15311
2DGS332-105FL-1/3-EB	125-VDT	2x4	3 lamp	F32T8	63.9		14907
2DGS332-377FL-1/3-EB	135-VDT	2x4	3 lamp	F32T8	60		14908
2DGS3CF40-169FL-1/3-EB	132-VDT	2x2	3 lamp	CF40	59.9		15468
2DGS3CF40-49FL-1/3-EB	122-VDT	2x2	3 lamp	CF40	63.2		15317
2DGS432-105FL-1/4-EB	125-VDT	2x4	4 lamp	F32T8	60.5		14916
2DGS432-377FL-1/4-EB	135-VDT	2x4	4 lamp	F32T8	59.5		14915
2DPG217-FS01-1/2-EB	405-SR	2x2	2 lamp	F17T8	80.5		22862
2DPG231U1-FS01-1/2-EB	405-SR	2x2	2 lamp	31U1	82.3		22804
2DPG231U6-FS01-1/2-EB	405-SR	2x2	2 lamp	31U6	76.5		22784
2DPG232-FA01-1/2-EB	515-AH	2x4	2 lamp	F32T8	82.1		20884
2DPG232-FS01-1/2-EB	407-SR	2x4	2 lamp	F32T8	84.8		20876
2DPG232-FS01-1/2-EB-SI	407-SR	2x4	2 lamp	F32T8	87.5		15559
2DPG232-FS12-1/2-EB	407-SR	2x4	2 lamp	F32T8	76.9		17052
2DPG232-FS19-1/2-EB	407-SR	2x4	2 lamp	F32T8	74.2		16359
2DPG232-FS24-1/2-EB	407-SR	2x4	2 lamp	F32T8	79		17331
2DPG232-FS30-1/2-EB	404-SR	2x4	2 lamp	F32T8	63.1		19318
2DPG232-TFS56-1/2-EB	711-SA	2x4	2 lamp	F32T8	76.1		21203
2DPG240U6-FS01	403-SR	2x2	2 lamp	40U6	71.7		22689
2DPG2CF40-FS01-1/2-EB	404-SR	2x2	2 lamp	CF40	84.4		22748
2DPG317-FS01-1/3-EB	405-SR	2x2	3 lamp	F17T8	79.9		22833
2DPG331U1-FS01-1/3-EB	405-SR	2x2	3 lamp	31U1	75.5		22814
2DPG331U1-TFS56-1/3-EB	710-SA	2x2	3 lamp	31U1	70.3		22815
2DPG332-FA01-1/21-EB	515-AH	2x4	3 lamp	F32T8	77.1		20921
2DPG332-FS01-1/21-EB	407-SR	2x4	3 lamp	F32T8	79.2		20838
2DPG332-FS01-1/3-EB-SI	407-SR	2x4	3 lamp	F32T8	84.4		15556
2DPG332-FS02-1/3-EB	407-SR	2x4	3 lamp	F32T8	72.9		14215

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
2DPG332-FS12-1/3-EB	407-SR	2x4	3 lamp	F32T8	73.5		16061
2DPG332-FS19-1/3-EB	407-SR	2x4	3 lamp	F32T8	73.3		16340
2DPG332-FS24-1/3-EB	407-SR	2x4	3 lamp	F32T8	76.7		17332
2DPG332-FS30-1/3-EB	407-SR	2x4	3 lamp	F32T8	57.6		19312
2DPG332-TFS56-1/21-EB	711-SA	2x4	3 lamp	F32T8	73		21206
2DPG3CF40-FS01-1/3-EB	404-SR	2x2	3 lamp	CF40	79.8		22756
2DPG417-FS01-1/4-EB	405-SR	2x2	4 lamp	F17T8	77.3		22866
2DPG432-FA01-1/4-EB	515-AH	2x4	4 lamp	F32T8	79.9		20920
2DPG432-FS01-2/2-EB	407-SR	2x4	4 lamp	F32T8	81		20849
2DPG432-FS12-1/4-EB	407-SR	2x4	4 lamp	F32T8	72.4		14185
2DPG432-FS19-1/4-EB	407-SR	2x4	4 lamp	F32T8	70.4		16362
2DPG432-FS24-1/4-EB	407-SR	2x4	4 lamp	F32T8	72.7		17333
2DPG432-FS30-1/4-EB	407-SR	2x4	4 lamp	F32T8	58.7		19298
2DPG432-TFS56-2/2-EB	711-SA	2x4	4 lamp	F32T8	73.3		21196
2DPGS231U1-FA01-1/2-EB	513-AH	2x2	2 lamp	31U1	78.7		22806
2DPGS231U6-FA01-1/2-EB	513-AH	2x2	2 lamp	31U6	72.8		22786
2DPGS240U6-FA01	511-AH	2x2	2 lamp	40U6	67.9		22692
2DPGS2CF40-FA01-1/2-EB	512-AH	2x2	2 lamp	CF40	80.5		22750
2DPGS331U1-FA01-1/3-EB	513-AH	2x2	3 lamp	31U1	72		22816
2DPGS3CF40-FA01-1/3-EB	512-AH	2x2	3 lamp	CF40	76.3		22759
2DPWLG231U6-FS01-1/2-EB	706-SA	2x2	2 lamp	31U6	76.5		22784P3
2DPWLG331U1-FS01-1/3-EB	706-SA	2x2	3 lamp	31U1	75.5		22814P3
2DPWLG332-FS01-1/21-EB	707-SA	2x4	3 lamp	F32T8	79.1		20838
2DPWLG432-FS01-2/2-EB	707-SA	2x4	4 lamp	F32T8	80.9		20849
2EPG214-O	150-VDT	2x2	2 lamp	F14T5	77.3		24309
2EPG214-P	150-VDT	2x2	2 lamp	F14T5	70.7		24310
2EPG214-S	150-VDT	2x2	2 lamp	F14T5	61.1		24311
2EPG224HO-O-1/2-EB	150-VDT	2x2	2 lamp	F24T5HO	69.6	1.9	24305
2EPG224HO-P-1/2-EB	150-VDT	2x2	2 lamp	F24T5HO	63.9	1.9	24302
2EPG224HO-S-1/2-EB	150-VDT	2x2	2 lamp	F24T5HO	54.8	1.0	24304
2EPG228-O-1/2-EB	151-VDT	2x4	2 lamp	F28T5	70.5	1.0	24333
2EPG228-P-1/2-EB	151-VDT	2x4	2 lamp	F28T5	63.7	1.0	24337
2EPG228-S-1/2-EB	151-VDT	2x4	2 lamp	F28T5	54.6	1.8	24335
2EPG254HO-O	151-VDT	2x4	2 lamp	F54T5HO	74		24325
2EPG254HO-P	151-VDT	2x4	2 lamp	F54T5HO	66.3		24321
2EPG254HO-S	151-VDT	2x4	2 lamp	F54T5HO	57.5		24323
2EPG314-O	150-VDT	2x2	3 lamp	F14T5	71.5		24306
2EPG314-P	150-VDT	2x2	3 lamp	F14T5	69.1		24308
2EPG314-S	150-VDT	2x2	3 lamp	F14T5	62.5		24307

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
2EPG324HO-O-1/21-EB	150-VDT	2x2	3 lamp	F24T5HO	69.7	1.0	24301
2EPG324HO-P-1/21-EB	150-VDT	2x2	3 lamp	F24T5HO	66.1	1.9	24298
2EPG324HO-S-1/21-EB	150-VDT	2x2	3 lamp	F24T5HO	60	1.9	24300
2EPG328-O-1/21-EB	151-VDT	2x4	3 lamp	F28T5	67.4	1.9	24326
2EPG328-P-1/21-EB	151-VDT	2x4	3 lamp	F28T5	65	1.9	24331
2EPG328-S-1/21-EB	151-VDT	2x4	3 lamp	F28T5	59.1	1.9	24330
2EPG354HO-O	151-VDT	2x4	3 lamp	F54T5HO	68.3		24314
2EPG354HO-P	151-VDT	2x4	3 lamp	F54T5HO	65.4		24312
2EPG354HO-S	151-VDT	2x4	3 lamp	F54T5HO	58.9		24313
2ESG214-23RMW-1/2-EB	268-PLV	2x2	2 lamp	F14T5	79.0		28571
2ESG217-23RMW-1/2-EB	268-PLV	2x2	2 lamp	F17T8	86.0		28076
2ESG224HO-23RMW-1/2-EB	268-PLV	2x2	2 lamp	F24T5HO	79.0		28567
2ESG228-26RMW-1/2-EB	269-PLV	2x4	2 lamp	F28T5	88.0		28553
2ESG232-26RMW-1/2-EB	269-PLV	2x4	2 lamp	F32T8	92.0		28075
2ESG254HO-26RMW-1/2-EB	269-PLV	2x4	2 lamp	F54T5HO	76.0		28557
2F232-PP-1/2-EB	1410-IF	4 Foot	25% Uplight	F32T8	94.2		27931
2F232-PR-1/2-EB	1410-IF	4 Foot	25% Uplight	F32T8	88		ITL42359
2F259-PP-1/2-EB	1411-IF	8 foot	25% Uplight	F96T8 Slimline	90		ITL42362
2F259-PR-1/2-EB	1411-IF	8 foot	25% Uplight	F96T8 Slimline	89		ITL42363
2F296HO-PP-1/2-EB	1412-IF	8 foot	25% Uplight	F96T12HO	84.8		ITL42365
2F296HO-PR-1/2-EB	1412-IF	8 foot	25% Uplight	F96T12HO	83.3		ITL42367
2F296-PP	1411-IF	8 foot	25% Uplight	F96T12 Slimline	87.9		ITL42360
2F296-PR	1411-IF	8 foot	25% Uplight	F96T12 Slimline	86.8		ITL42361
2F296VH-PP	1413-IF	8 foot	25% Uplight	F96T12VHO	87.3		ITL42368
2F296VH-PR	1413-IF	8 foot	25% Uplight	F96T12VHO	86.5		ITL42369
2LP3GS217R-33AL-1/2-EB	246-PLV	2x2	2 lamp	F17T8	70.6		22859
2LP3GS217R-33FL-1/2-EB	246-PLV	2x2	2 lamp	F17T8	75.9		22860
2LP3GS217R-33W-1/2-EB	246-PLV	2x2	2 lamp	F17T8	78.5		22861
2LP3GS217R-44AL-1/2-EB	246-PLV	2x2	2 lamp	F17T8	64.6		22855
2LP3GS217R-44FL-1/2-EB	246-PLV	2x2	2 lamp	F17T8	67.4		22856
2LP3GS217R-44W-1/2-EB	246-PLV	2x2	2 lamp	F17T8	67.9		22858
2LP3GS231U1R-33AL-1/2-EB	246-PLV	2x2	2 lamp	31U1	68.2		22801
2LP3GS231U1R-33FL-1/2-EB	246-PLV	2x2	2 lamp	31U1	72.9		22802
2LP3GS231U1R-33W-1/2-EB	246-PLV	2x2	2 lamp	31U1	75.5		22803
2LP3GS231U1R-44AL-1/2-EB	246-PLV	2x2	2 lamp	31U1	71		22798
2LP3GS231U1R-44FL-1/2-EB	246-PLV	2x2	2 lamp	31U1	74.6		22799
2LP3GS231U1R-44W-1/2-EB	246-PLV	2x2	2 lamp	31U1	75.7		22800
2LP3GS231U6R-33AL-1/2-EB	247-PLV	2x2	2 lamp	31U6	68.4		22795
2LP3GS231U6R-33FL-1/2-EB	247-PLV	2x2	2 lamp	31U6	72.5		22796

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
2LP3GS231U6R-33W-1/2-EB	247-PLV	2x2	2 lamp	31U6	75.2		22797
2LP3GS231U6R-44AL-1/2-EB	247-PLV	2x2	2 lamp	31U6	63.3		22792
2LP3GS231U6R-44FL-1/2-EB	247-PLV	2x2	2 lamp	31U6	66.2		22793
2LP3GS231U6R-44W-1/2-EB	247-PLV	2x2	2 lamp	31U6	67.7		22794
2LP3GS232-26AL-1/2-EB	252-PLV	2x4	2 lamp	F32T8	80.7		20891
2LP3GS232-26FL-1/2-EB	252-PLV	2x4	2 lamp	F32T8	82.8		20889
2LP3GS232-26SL-1/2-EB	252-PLV	2x4	2 lamp	F32T8	80.8		20890
2LP3GS232-26W-1/2-EB	252-PLV	2x4	2 lamp	F32T8	85.5		20892
2LP3GS232-48AL-1/2-EB	252-PLV	2x4	2 lamp	F32T8	67.8		20887
2LP3GS232-48FL-1/2-EB	252-PLV	2x4	2 lamp	F32T8	71.7		20885
2LP3GS232-48SL-1/2-EB	252-PLV	2x4	2 lamp	F32T8	69		20886
2LP3GS232-48W-1/2-EB	252-PLV	2x4	2 lamp	F32T8	75.1		20888
2LP3GS2CF40R-33AL-1/2-EB	245-PLV	2x2	2 lamp	CF40	74.5		22744
2LP3GS2CF40R-33FL-1/2-EB	245-PLV	2x2	2 lamp	CF40	80		22745
2LP3GS2CF40R-33W-1/2-EB	245-PLV	2x2	2 lamp	CF40	82.1		22746
2LP3GS2CF40R-44AL-1/2-EB	245-PLV	2x2	2 lamp	CF40	68.9		22741
2LP3GS2CF40R-44FL-1/2-EB	245-PLV	2x2	2 lamp	CF40	72.5		22742
2LP3GS2CF40R-44W-1/2-EB	245-PLV	2x2	2 lamp	CF40	73.7		22743
2LP3GS317R-33AL-1/3-EB	249-PLV	2x2	3 lamp	F17T8	72.7		22846
2LP3GS317R-33FL-1/3-EB	249-PLV	2x2	3 lamp	F17T8	77.4		22848
2LP3GS317R-33W-1/3-EB	249-PLV	2x2	3 lamp	F17T8	79.8		22849
2LP3GS317R-44AL-1/3-EB	249-PLV	2x2	3 lamp	F17T8	67.4		22841
2LP3GS317R-44FL-1/3-EB	249-PLV	2x2	3 lamp	F17T8	70.3		22842
2LP3GS317R-44W-1/3-EB	249-PLV	2x2	3 lamp	F17T8	71.7		22844
2LP3GS331U1R-33AL-1/3-EB	249-PLV	2x2	3 lamp	31U1	70.8		22830
2LP3GS331U1R-33FL-1/3-EB	249-PLV	2x2	3 lamp	31U1	74.9		22831
2LP3GS331U1R-33W-1/3-EB	249-PLV	2x2	3 lamp	31U1	76.9		22832
2LP3GS331U1R-44AL-1/3-EB	249-PLV	2x2	3 lamp	31U1	63.4		22826
2LP3GS331U1R-44FL-1/3-EB	249-PLV	2x2	3 lamp	31U1	66.3		22827
2LP3GS331U1R-44W-1/3-EB	249-PLV	2x2	3 lamp	31U1	67.3		22829
2LP3GS332-36AL-1/21-EB	253-PLV	2x4	3 lamp	F32T8	72.2		20833
2LP3GS332-36FL-1/21-EB	253-PLV	2x4	3 lamp	F32T8	75.7		20831
2LP3GS332-36SL-1/21-EB	253-PLV	2x4	3 lamp	F32T8	73.2		20832
2LP3GS332-36W-1/21-EB	253-PLV	2x4	3 lamp	F32T8	78.3		20834
2LP3GS332-38AL-1/21-EB	253-PLV	2x4	3 lamp	F32T8	70.9		20839
2LP3GS332-38FL-1/21-EB	253-PLV	2x4	3 lamp	F32T8	73.2		20835
2LP3GS332-38SL-1/21-EB	253-PLV	2x4	3 lamp	F32T8	70.7		20836
2LP3GS332-38W-1/21-EB	253-PLV	2x4	3 lamp	F32T8	76.4		20840
2LP3GS3CF40R-33AL-1/3-EB	248-PLV	2x2	3 lamp	CF40	75.9		22768

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
2LP3GS3CF40R-33FL-1/3-EB	248-PLV	2x2	3 lamp	CF40	80.8		22769
2LP3GS3CF40R-33W-1/3-EB	248-PLV	2x2	3 lamp	CF40	82.2		22770
2LP3GS3CF40R-44AL-1/3-EB	248-PLV	2x2	3 lamp	CF40	68.5		22765
2LP3GS3CF40R-44FL-1/3-EB	248-PLV	2x2	3 lamp	CF40	72		22766
2LP3GS3CF40R-44W-1/3-EB	248-PLV	2x2	3 lamp	CF40	73.1		22767
2LP3GS432-46AL-2/2-EB	254-PLV	2x4	4 lamp	F32T8	70.2		20858
2LP3GS432-46FL-2/2-EB	254-PLV	2x4	4 lamp	F32T8	74.9		20856
2LP3GS432-46SL-2/2-EB	254-PLV	2x4	4 lamp	F32T8	71.7		20857
2LP3GS432-46W-2/2-EB	254-PLV	2x4	4 lamp	F32T8	76.8		20859
2LP3GS432-48AL-2/2-EB	254-PLV	2x4	4 lamp	F32T8	67.8		20852
2LP3GS432-48FL-2/2-EB	254-PLV	2x4	4 lamp	F32T8	72.5		20850
2LP3GS432-48SL-2/2-EB	254-PLV	2x4	4 lamp	F32T8	69.5		20851
2LP3GS432-48W-2/2-EB	254-PLV	2x4	4 lamp	F32T8	74.4		20853
2LP3GS454HO-26W-1/4-EB	254-PLV	2x4	4 lamp	F54T5HO	75.5		24946
2LPWGS232-26AL-1/2-EB	260-PLV	2x4	2 lamp	F32T8	76.6		22121
2LPWGS332-36AL-1/3-EB	262-PLV	2x4	3 lamp	F32T8	75		21548
2M6CF40-W-EB (AMBIENT)	735-SA	2x4	6 lamp	CF40	53.8		26387
2M6CF40-W-EB (EXAM)	735-SA	2x4	6 lamp	CF40	45		26386
2M6CF40-W-EB (READING)	735-SA	2x4	6 lamp	CF40	53.4		26388
2P3GS231U1-33AL-1/2-EB	226-PLV	2x2	2 lamp	31U1	73.3		17887
2P3GS231U1-33FL-1/2-EB	226-PLV	2x2	2 lamp	31U1	72.6		15738
2P3GS231U1-33SL-1/2-EB	226-PLV	2x2	2 lamp	31U1	70.1		15739
2P3GS231U1-44AL-1/2-EB	226-PLV	2x2	2 lamp	31U1	67.3		17888
2P3GS231U1-44FL-1/2-EB	226-PLV	2x2	2 lamp	31U1	68.7		15740
2P3GS231U1-44SL-1/2-EB	226-PLV	2x2	2 lamp	31U1	65		15741
2P3GS231U6-33FL-1/2-EB	226A-PLV	2x2	2 lamp	31U6	66.3		16449
2P3GS231U6-33SL-1/2-EB	226A-PLV	2x2	2 lamp	31U6	64		16448
2P3GS231U6-44FL-1/2-EB	226A-PLV	2x2	2 lamp	31U6	62.7		16450
2P3GS231U6-44SL-1/2-EB	226A-PLV	2x2	2 lamp	31U6	59.5		16451
2P3GS232-26AL-1/2-EB	232-PLV	2x4	2 lamp	F32T8	76.8		17862
2P3GS232-26FL-1/2-EB	232-PLV	2x4	2 lamp	F32T8	80.9		15677
2P3GS232-26SL-1/2-EB	232-PLV	2x4	2 lamp	F32T8	79.6		15678
2P3GS232-28FL-1/2-EB	232-PLV	2x4	2 lamp	F32T8	73.6		16847
2P3GS232-28SL-1/2-EB	232-PLV	2x4	2 lamp	F32T8	71.6		16848
2P3GS232-48AL-1/2-EB	232-PLV	2x4	2 lamp	F32T8	64		17863
2P3GS232-48FL-1/2-EB	232-PLV	2x4	2 lamp	F32T8	73.2		15679
2P3GS232-48SL-1/2-EB	232-PLV	2x4	2 lamp	F32T8	68.9		15680
2P3GS240U6-33AL-1/2-EB	224-PLV	2x2	2 lamp	40U6	62.2		17869
2P3GS240U6-33FL-1/2-EB	224-PLV	2x2	2 lamp	40U6	70.7		15718

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
2P3GS240U6-33SL-1/2-EB	224-PLV	2x2	2 lamp	40U6	68.2		15719
2P3GS240U6-44AL-1/2-EB	224-PLV	2x2	2 lamp	40U6	57.2		17870
2P3GS240U6-44FL-1/2-EB	224-PLV	2x2	2 lamp	40U6	66.7		15720
2P3GS240U6-44SL-1/2-EB	224-PLV	2x2	2 lamp	40U6	62.9		15721
2P3GS2CF40-33AL-1/2-EB	225-PLV	2x2	2 lamp	CF40	73.2		17899
2P3GS2CF40-33FL-1/2-EB	225-PLV	2x2	2 lamp	CF40	78.1		15759
2P3GS2CF40-33SL-1/2-EB	225-PLV	2x2	2 lamp	CF40	75.5		15760
2P3GS2CF40-44AL-1/2-EB	225-PLV	2x2	2 lamp	CF40	68.3		17900
2P3GS2CF40-44FL-1/2-EB	225-PLV	2x2	2 lamp	CF40	73.8		15761
2P3GS2CF40-44SL-1/2-EB	225-PLV	2x2	2 lamp	CF40	70.1		15762
2P3GS331U1-33AL-1/3-EB	229-PLV	2x2	3 lamp	31U1	63.1		17895
2P3GS331U1-33FL-1/3-EB	229-PLV	2x2	3 lamp	31U1	66.1		15728
2P3GS331U1-33SL-1/3-EB	229-PLV	2x2	3 lamp	31U1	64		15729
2P3GS331U1-44AL-1/3-EB	229-PLV	2x2	3 lamp	31U1	57.6		17896
2P3GS331U1-44FL-1/3-EB	229-PLV	2x2	3 lamp	31U1	62.6		15730
2P3GS331U1-44SL-1/3-EB	229-PLV	2x2	3 lamp	31U1	59.2		15731
2P3GS332-36AL-1/3-EB	229-PLV	2X4	3 lamp	F32T8	69.6		17865
2P3GS332-36FL-1/3-EB	233-PLV	2x4	3 lamp	F32T8	76.3		15693
2P3GS332-36SL-1/3-EB	233-PLV	2x4	3 lamp	F32T8	73.3		15694
2P3GS332-38FL-1/3-EB	233-PLV	2x4	3 lamp	F32T8	65.6		18196
2P3GS332-38SL-1/3-EB	233-PLV	2x4	3 lamp	F32T8	63.6		18195
2P3GS340U3-33AL-1/21-EB	227-PLV	2X2	3 lamp	40U3	55		17885
2P3GS340U3-33FL-1/3-EB	227-PLV	2x2	3 lamp	40U3	64.5		15707
2P3GS340U3-33SL-1/3-EB	227-PLV	2x2	3 lamp	40U3	62.3		15708
2P3GS340U3-44AL-1/3-EB	227-PLV	2x2	3 lamp	40U3	51.3		17884
2P3GS340U3-44FL-1/3-EB	227-PLV	2x2	3 lamp	40U3	61		15709
2P3GS340U3-44SL-1/3-EB	227-PLV	2x2	3 lamp	40U3	57.6		15710
2P3GS3CF40-33AL-1/3-EB	228-PLV	2x2	3 lamp	CF40	72.5		17903
2P3GS3CF40-33FL-1/3-EB	228-PLV	2x2	3 lamp	CF40	73.6		15749
2P3GS3CF40-33SL-1/3-EB	228-PLV	2x2	3 lamp	CF40	71.1		15750
2P3GS3CF40-44AL-1/3-EB	228-PLV	2x2	3 lamp	CF40	66.8		17904
2P3GS3CF40-44FL-1/3-EB	228-PLV	2x2	3 lamp	CF40	69.9		15751
2P3GS3CF40-44SL-1/3-EB	228-PLV	2x2	3 lamp	CF40	66.2		15752
2P3GS432-48AL-1/4-EB	234-PLV	2x4	4 lamp	F32T8	62.1		17852
2P3GS432-48FL-1/4-EB	234-PLV	2x4	4 lamp	F32T8	71.7		15684
2P3GS432-48SL-1/4-EB	234-PLV	2x4	4 lamp	F32T8	67.9		15685
2P4GA231U1-33FL-1/2-EB	204-PLV	2x2	2 lamp	31U1	65		15952
2P4GA231U1-33SL-1/2-EB	204-PLV	2x2	2 lamp	31U1	63.3		15953
2P4GA231U1-44FL-1/2-EB	204-PLV	2x2	2 lamp	31U1	58.8		15954

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
2P4GA231U1-44SL-1/2-EB	204-PLV	2x2	2 lamp	31U1	55.6		15955
2P4GA232-26FL-1/2-EB	209-PLV	2x4	2 lamp	F32T8	76.8		16029
2P4GA232-26SL-1/2-EB	209-PLV	2x4	2 lamp	F32T8	74.9		16030
2P4GA232-48FL-1/2-EB	209-PLV	2x4	2 lamp	F32T8	66.6		16031
2P4GA232-48SL-1/2-EB	209-PLV	2x4	2 lamp	F32T8	63.3		16032
2P4GA240U6-33FL-1/2-EB	202-PLV	2x2	2 lamp	40U6	64.8		15993
2P4GA240U6-33SL-1/2-EB	202-PLV	2x2	2 lamp	40U6	62.5		15994
2P4GA240U6-44FL-1/2-EB	202-PLV	2x2	2 lamp	40U6	58.5		15995
2P4GA240U6-44SL-1/2-EB	202-PLV	2x2	2 lamp	40U6	55		15996
2P4GA2CF40-33FL-1/2-EB	203-PLV	2x2	2 lamp	CF40	69.1		15972
2P4GA2CF40-33SL-1/2-EB	203-PLV	2x2	2 lamp	CF40	68		15973
2P4GA2CF40-44FL-1/2-EB	203-PLV	2x2	2 lamp	CF40	63.8		15974
2P4GA2CF40-44SL-1/2-EB	203-PLV	2x2	2 lamp	CF40	60.3		15975
2P4GA331U1-33FL-1/3-EB	207-PLV	2x2	3 lamp	31U1	61.4		15935
2P4GA331U1-33SL-1/3-EB	207-PLV	2x2	3 lamp	31U1	59.3		15936
2P4GA331U1-44FL-1/3-EB	207-PLV	2x2	3 lamp	31U1	55.1		15937
2P4GA331U1-44SL-1/3-EB	207-PLV	2x2	3 lamp	31U1	52		15938
2P4GA332-36FL-1/3-EB	210-PLV	2x4	3 lamp	F32T8	75.4		16011
2P4GA332-36SL-1/3-EB	210-PLV	2x4	3 lamp	F32T8	71.9		16012
2P4GA340U3-33FL-1/3-EB	205-PLV	2x2	3 lamp	40U3	57.5		15978
2P4GA340U3-33SL-1/3-EB	205-PLV	2x2	3 lamp	40U3	55.9		15979
2P4GA340U3-44FL-1/3-EB	205-PLV	2x2	3 lamp	40U3	52.3		15980
2P4GA340U3-44SL-1/3-EB	205-PLV	2x2	3 lamp	40U3	49.6		15981
2P4GA3CF40-33FL-1/3-EB	206-PLV	2x2	3 lamp	CF40	67.1		15957
2P4GA3CF40-33SL-1/3-EB	206-PLV	2x2	3 lamp	CF40	65		15958
2P4GA3CF40-44FL-1/3-EB	206-PLV	2x2	3 lamp	CF40	60.9		15959
2P4GA3CF40-44SL-1/3-EB	206-PLV	2x2	3 lamp	CF40	57.3		15960
2P4GA432-48FL-1/4-EB	210-PLV	2x4	4 lamp	F32T8	65.8		16046
2P4GA432-48SL-1/4-EB	210-PLV	2x4	4 lamp	F32T8	62.4		16047
2PFG217-PMW-1/2-EB	0507-AR	2x2	Center Basket	F17T8	65.4		26751
2PFG232-PMW-1/2-EB	0509-AR	2x4	Center Basket	F32T8	68.6		26730
2PFG254HO-PMW-1/2-EB	0509-AR	2x4	Center Basket	F54T5HO	67.7		28167
2PFG2CF40-PMW-1/2-EB	0507-AR	2x2	Center Basket	CF40	69.6		26755
2PFG317-PMW-1/3-EB	0507-AR	2x2	Center Basket	F17T8	61.7		26746
2PFG332-PMW-1/3-EB	0509-AR	2x4	Center Basket	F32T8	65.2		26747
2PFSG217-PMW-1/2-EB	0515-AR	2x2	Side Basket	F17T8	59.5		26760
2PFSG232-PMW-1/2-EB	0517-AR	2x4	Side Basket	F32T8	64.7		26753
2PFSG2CF40-PMW-1/2-EB	0515-AR	2x2	Side Basket	CF40	50.6		26761
2PFSG417-PMW-1/4-EB	0515-AR	2x2	Side Basket	F17T8	48.6		26762

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
2PFSG432-PMW-1/4-EB	0517-AR	2x4	Side Basket	F32T8	56.6		26758
2S3P231U1-33FL-1/2-EB	924-SS	2x2	2 lamp	31U1	75.1		15775
2S3P231U1-33SL-1/2-EB	924-SS	2x2	2 lamp	31U1	72.2		15776
2S3P231U1-44FL-1/2-EB	924-SS	2x2	2 lamp	31U1	69.2		15777
2S3P231U1-44SL-1/2-EB	924-SS	2x2	2 lamp	31U1	65.5		15778
2S3P232-26FL-1/2-EB	925-SS	2x4	2 lamp	F32T8	82.8		15821
2S3P232-26SL-1/2-EB	925-SS	2x4	2 lamp	F32T8	80.2		15822
2S3P240U6-33FL-1/2-EB	922-SS	2x2	2 lamp	40U6	72.3		15783
2S3P240U6-33SL-1/2-EB	922-SS	2x2	2 lamp	40U6	69.8		15784
2S3P240U6-44FL-1/2-EB	922-SS	2x2	2 lamp	40U6	69.1		15785
2S3P240U6-44SL-1/2-EB	922-SS	2x2	2 lamp	40U6	65.1		15786
2S3P2CF40-33FL-1/2-EB	923-SS	2x2	2 lamp	CF40	79.5		15765
2S3P2CF40-33SL-1/2-EB	923-SS	2x2	2 lamp	CF40	76.8		15766
2S3P2CF40-44FL-1/2-EB	923-SS	2x2	2 lamp	CF40	76.1		15767
2S3P2CF40-44SL-1/2-EB	923-SS	2x2	2 lamp	CF40	71.8		15768
2S3P331U1-33FL-1/3-EB	924-SS	2x2	3 lamp	31U1	72.3		15799
2S3P331U1-33SL-1/3-EB	924-SS	2x2	3 lamp	31U1	69.8		15800
2S3P331U1-44FL-1/3-EB	924-SS	2x2	3 lamp	31U1	67.8		15801
2S3P331U1-44SL-1/3-EB	924-SS	2x2	3 lamp	31U1	64.1		15802
2S3P332-36FL-1/3-EB	926-SS	2x4	3 lamp	F32T8	80.6		15819
2S3P332-36SL-1/3-EB	926-SS	2x4	3 lamp	F32T8	77.3		15820
2S3P340U3-33FL-1/3-EB	922-SS	2x2	3 lamp	40U3	64.6		15807
2S3P340U3-33SL-1/3-EB	922-SS	2x2	3 lamp	40U3	62.3		15808
2S3P340U3-44FL-1/3-EB	922-SS	2x2	3 lamp	40U3	60.5		15809
2S3P340U3-44SL-1/3-EB	922-SS	2x2	3 lamp	40U3	57.7		15810
2S3P3CF40-33FL-1/3-EB	923-SS	2x2	3 lamp	CF40	75.8		15791
2S3P3CF40-33SL-1/3-EB	923-SS	2x2	3 lamp	CF40	74.3		15792
2S3P3CF40-44FL-1/3-EB	923-SS	2x2	3 lamp	CF40	72.6		15793
2S3P3CF40-44SL-1/3-EB	923-SS	2x2	3 lamp	CF40	67.4		15794
2S3P432-48FL-1/4-EB	927-SS	2x4	4 lamp	F32T8	75.2		15826
2S3P432-48SL-1/4-EB	927-SS	2x4	4 lamp	F32T8	70.4		15827
2S4P231U1-33FL-1/2-EB	912-SS	2x2	2 lamp	31U1	68.3		15872
2S4P231U1-33SL-1/2-EB	912-SS	2x2	2 lamp	31U1	66.2		15873
2S4P231U1-44FL-1/2-EB	912-SS	2x2	2 lamp	31U1	61.3		15874
2S4P231U1-44SL-1/2-EB	912-SS	2x2	2 lamp	31U1	57.8		15875
2S4P232-26FL-1/2-EB	913-SS	2x4	2 lamp	F32T8	78.8		15925
2S4P232-26SL-1/2-EB	913-SS	2x4	2 lamp	F32T8	76.2		15926
2S4P2CF40-33FL-1/2-EB	911-SS	2x2	2 lamp	CF40	73.4		15868
2S4P2CF40-33SL-1/2-EB	911-SS	2x2	2 lamp	CF40	71.3		15869

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
2S4P2CF40-44FL-1/2-EB	911-SS	2x2	2 lamp	CF40	67.1		15870
2S4P2CF40-44SL-1/2-EB	911-SS	2x2	2 lamp	CF40	63.1		15871
2S4P331U1-33FL-1/3-EB	912-SS	2x2	3 lamp	31U1	67.9		15857
2S4P331U1-33SL-1/3-EB	912-SS	2x2	3 lamp	31U1	65.7		15858
2S4P331U1-44FL-1/3-EB	912-SS	2x2	3 lamp	31U1	61.2		15859
2S4P331U1-44SL-1/3-EB	912-SS	2x2	3 lamp	31U1	57.7		15860
2S4P332-36FL-1/3-EB	914-SS	2x4	3 lamp	F32T8	77.2		15917
2S4P332-36SL-1/3-EB	914-SS	2x4	3 lamp	F32T8	73.8		15918
2S4P3CF40-33FL-1/3-EB	911-SS	2x2	3 lamp	CF40	71.5		15861
2S4P3CF40-33SL-1/3-EB	911-SS	2x2	3 lamp	CF40	69.1		15862
2S4P3CF40-44FL-1/3-EB	911-SS	2x2	3 lamp	CF40	65		15863
2S4P3CF40-44SL-1/3-EB	911-SS	2x2	3 lamp	CF40	61.9		15864
2S4P432-48FL-1/4-EB	915-SS	2x4	4 lamp	F32T8	68.9		15913
2S4P432-48SL-1/4-EB	915-SS	2x4	4 lamp	F32T8	66		15914
2SATNG214-D-1/2-EB	0147-AR	2x2	Diffuse	F14T5	84.8		25582
2SATNG214-DO-1/2-EB	0147-AR	2x2	Diffuse/Overlay	F14T5	73.0		25882
2SATNG214-PMW-1/2-EB	0147-AR	2x2	Round Perf.	F14T5	43.9		25888
2SATNG214-SMW-1/2-EB	0147-AR	2x2	Slotted Perf.	F14T5	46.7		25878
2SATNG214-WO-1/2-EB	0147-AR	2x2	Radial Louver	F14T5	57.3		27525
2SATNG217-D-1/2-EB	0147-AR	2x2	Diffuse	F17T8	77.5		25531
2SATNG217-DO-1/2-EB	0147-AR	2x2	Diffuse/Overlay	F17T8	63.8		25897
2SATNG217-PMW-1/2-EB	0147-AR	2x2	Round Perf.	F17T8	39.1		25892
2SATNG217-SMW-1/2-EB	0147-AR	2x2	Slotted Perf.	F17T8	41.5		25894
2SATNG217-WO-1/2-EB	0147-AR	2x2	Radial Louver	F17T8	59.3		27550
2SATNG224HO-D-1/2-EB	0147-AR	2x2	Diffuse	F24T5HO	76.5		25836
2SATNG224HO-DO-1/2-EB	0147-AR	2x2	Diffuse/Overlay	F24T5HO	61.6		25835
2SATNG224HO-PMW-1/2-EB	0147-AR	2x2	Round Perf.	F24T5HO	41.0		25837
2SATNG224HO-SMW-1/2-EB	0147-AR	2x2	Slotted Perf.	F24T5HO	41.9		25838
2SATNG224HO-WO-1/2-EB	0147-AR	2x2	Radial Louver	F24T5HO	58.0		27508
2SATNG228-D-1/2-EB	0149-AR	2x4	Diffuse	F28T5	84.9		25459
2SATNG228-DO-1/2-EB	0149-AR	2x4	Diffuse/Overlay	F28T5	71.5		25458
2SATNG228-PMW-1/2-EB	0149-AR	2x4	Round Perf.	F28T5	46.6		25798
2SATNG228-SMW-1/2-EB	0149-AR	2x4	Slotted Perf.	F28T5	45.8		25803
2SATNG228-WO-1/2-EB	0149-AR	2x4	Radial Louver	F28T5	68.2		25800
2SATNG232-D-1/2-EB	0149-AR	2x4	Diffuse	F32T8	88.0		25418
2SATNG232-DO-1/2-EB	0149-AR	2x4	Diffuse/Overlay	F32T8	75.2		25415
2SATNG232-PMW-1/2-EB	0149-AR	2x4	Round Perf.	F32T8	47.9		25790
2SATNG232-SMW-1/2-EB	0149-AR	2x4	Slotted Perf.	F32T8	46.8		25791
2SATNG254HO-D-1/2-EB	0149-AR	2x4	Diffuse	F54T5HO	72.2		27376

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
2SATNG254HO-DO-1/2-EB	0149-AR	2x4	Diffuse/Overlay	F54T5HO	60.8		27378
2SATNG254HO-PMW-1/2-EB	0149-AR	2x4	Round Perf.	F54T5HO	35.0		27379
2SATNG254HO-SMW-1/2-EB	0149-AR	2x4	Slotted Perf.	F54T5HO	38.2		27380
2SATNG254HO-WO-1/2-EB	0149-AR	2x4	Radial Louver	F54T5HO	55.3		27377
2SATNG2CF40-D-1/2-EB	0147-AR	2x2	Diffuse	CF40	79.6		25739
2SATNG2CF40-PMW-1/2-EB	0147-AR	2x2	Round Perf.	CF40	33.7		26384
2SATNG2CF40-SMW-1/2-EB	0147-AR	2x2	Slotted Perf.	CF40	39.3		26383
2SATNG2CF40-WO-1/2-EB	0147-AR	2x2	Radial Louver	CF40	56.7		26385
2SATWG214-D-1/2-EB	0147-AR	2x2	Diffuse	F14T5	87.8		25599
2SATWG217-D-1/2-EB	0147-AR	2x2	Diffuse	F17T8	74.1		25545
2SATWG217-DO-1/2-EB	0147-AR	2x2	Diffuse/Overlay	F17T8	65.4		25903
2SATWG224HO-D-1/2-EB	0147-AR	2x2	Diffuse	F24T5HO	81.9		25862
2SATWG228-D-1/2-EB	0149-AR	2x4	Diffuse	F28T5	90.2		25469
2SATWG228-DO-1/2-EB	0149-AR	2x4	Diffuse/Overlay	F28T5	79.1		25473
2SATWG232-D-1/2-EB	0149-AR	2x4	Diffuse	F32T8	84.3		25445
2SATWG232-DO-1/2-EB	0149-AR	2x4	Diffuse/Overlay	F32T8	73.9		25446
2SATWG232-WO-1/2-EB	0149-AR	2x4	Radial Louver	F32T8	69.7		25793
2SATWG254HO-D-1/2-EB	0149-AR	2x4	Diffuse	F54T5HO	70.7		27374
2SAVC2CF40-PMW-1/2-EB	0455-AR	2X2	Surface	CF40	60.9	1.3	212721
2SAVC4CF40-PMW-2/2-EB	0457-AR	2x4	Surface	CF40	66.2		23877
2SAVF2CF40-PMW-1/2-EB	0459-AR	2x2	Floating	CF40	57.8		26743
2SLPG432-FA12RF	727-SA	2x4		F32T8	67.3		17607
2SLPG432-FA178	728-SA	2x4		F32T8	67.8		17606
2SLPG632-FA12RF	727-SA	2x4		F32T8	59.7		17604
2SLPG632-FA178	728-SA	2x4		F32T8	59.7		17605
2SM231U1-FS01-1/2-EB	933-SS	2x2	2 lamp	31U1	73.9		15483
2SM231U1-TFS56-1/2-EB	714-SA	2x2	2 lamp	31U1	65.8		16327
2SM232-FS01-1/2-EB	934-SS	2x4	2 lamp	F32T8	78.7		15528
2SM232-TFS56-1/2-EB	715-SA	2x4	2 lamp	F32T8	70.3		16316
2SM240U6-FS01-1/2-EB	931-SS	2x2	2 lamp	40U6	70.4		15501
2SM240U6-TFS56-1/2-EB	714-SA	2x2	2 lamp	40U6	61.7		16348
2SM2CF40-FS01-1/2-EB	932-SS	2x2	2 lamp	CF40	79.7		15481
2SM331U1-FS01-1/3-EB	933-SS	2x2	3 lamp	31U1	71		15482
2SM332-FS01-1/3-EB	934-SS	2x4	3 lamp	F32T8	76.9		15538
2SM340U3-FS01-1/3-EB	931-SS	2x2	3 lamp	40U3	63.3		16357
2SM3CF40-FS01-1/3-EB	932-SS	2x2	3 lamp	CF40	74.2		15479
2SM432-FS01-1/4-EB	934-SS	2x4	4 lamp	F32T8	75.1		15536
2SPG217R-FS01-1/2-EB	416-SR	2x2	2 lamp	F17T8	80.5		22862P
2SPG231U1R-FS01-1/2-EB	416-SR	2x2	2 lamp	31U1	82.3		22804P

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
2SPG231U6R-FS01-1/2-EB	416-SR	2x2	2 lamp	31U6	76.5		22784P
2SPG232-FS01-1/2-EB	417-SR	2x4	2 lamp	F32T8	83.8		26375
2SPG2CF40R-FS01-1/2-EB	415-SR	2x2	2 lamp	CF40	84.4		22748P
2SPG317R-FS01-1/3-EB	416-SR	2x2	3 lamp	F17T8	79.9		22833P
2SPG331U1R-FS01-1/3-EB	416-SR	2x2	3 lamp	31U1	75.5		22814P
2SPG332-FS01-1/3-EB	417-SR	2x4	3 lamp	F32T8	79		26376
2SPG3CF40R-FS01-1/3-EB	415-SR	2x2	3 lamp	CF40	79.8		22756P
2SPG417R-FS01-1/4-EB	416-SR	2x2	4 lamp	F17T8	77.3		22866P
2SPG432-FS01-1/4-EB	417-SR	2x4	4 lamp	F32T8	76.4		26374
2SPWG232-FS01-1/2-EB	460-SR	2x4	2 lamp	F32T8	85.1		22112
2SPWG332-FS01-1/3-EB	462-SR	2x4	3 lamp	F32T8	84.7		22358
2SPWG432-FS01-1/4-EB	464-SR	2x4	4 lamp	F32T8	82.1		22365
2STG214-D-1/2-EB	0167-AR	2x2	Diffuse	F14T5	88.9		27067
2STG214-D-1/2-EB-RIB	0167-AR	2x2	Diffuse	F14T5	88.9		27067
2STG214-DS-1/2-EB	0167-AR	2x2	Diffuse	F14T5	88.9		27067
2STG214-DS-1/2-EB-RIB	0167-AR	2x2	Diffuse	F14T5	88.9		27067
2STG214-PMW-1/2-EB	0167-AR	2x2	Round Perf.	F14T5	78.9		27115
2STG214-PMW-1/2-EB-RIB	0167-AR	2x2	Round Perf. +	F14T5	78.9		27115
2STG217-D-1/2-EB	0167-AR	2x2	Diffuse	F17T8	81.7		27039
2STG217-D-1/2-EB-RIB	0167-AR	2x2	Diffuse	F17T8	81.7		27039
2STG217-DS-1/2-EB	0167-AR	2x2	Diffuse	F17T8	81.7		27039
2STG217-DS-1/2-EB-RIB	0167-AR	2x2	Diffuse	F17T8	81.7		27039
2STG217-PMW-1/2-EB	0167-AR	2x2	Round Perf.	F17T8	68.9		27112
2STG217-PMW-1/2-EB-RIB	0167-AR	2x2	Round Perf. +	F17T8	68.9		27112
2STG224HO-D-1/2-EB	0167-AR	2x2	Diffuse	F24T5HO	78.2		27397
2STG224HO-D-1/2-EB-RIB	0167-AR	2x2	Diffuse	F24T5HO	78.2		27397
2STG224HO-DS-1/2-EB	0167-AR	2x2	Diffuse	F24T5HO	78.2		27397
2STG224HO-DS-1/2-EB-RIB	0167-AR	2x2	Diffuse	F24T5HO	78.2		27397
2STG224HO-PMW-1/2-EB	0167-AR	2x2	Round Perf.	F24T5HO	70.7		27398
2STG224HO-PMW-1/2-EB-RIB	0167-AR	2x2	Round Perf. +	F24T5HO	70.7		27398
2STG228-D-1/2-EB	0169-AR	2x4	Diffuse	F28T5	95.1		27100
2STG228-D-1/2-EB-RIB	0169-AR	2x4	Diffuse	F28T5	95.1		27100
2STG228-DS-1/2-EB	0169-AR	2x4	Diffuse	F28T5	95.1		27100
2STG228-DS-1/2-EB-RIB	0169-AR	2x4	Diffuse	F28T5	95.1		27100
2STG228-PMW-1/2-EB	0169-AR	2x4	Round Perf.	F28T5	80.6		27099
2STG228-PMW-1/2-EB-RIB	0169-AR	2x4	Round Perf. +	F28T5	80.6		27099
2STG232-D-1/2-EB	0169-AR	2x4	Diffuse	F32T8	85.2		27034
2STG232-D-1/2-EB-RIB	0169-AR	2x4	Diffuse	F32T8	85.2		27034
2STG232-DS-1/2-EB	0169-AR	2x4	Diffuse	F32T8	85.2		27034

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
2STG232-DS-1/2-EB-RIB	0169-AR	2x4	Diffuse	F32T8	85.2		27034
2STG232-PMW-1/2-EB	0169-AR	2x4	Round Perf.	F32T8	72.2		27092
2STG232-PMW-1/2-EB-RIB	0169-AR	2x4	Round Perf. +	F32T8	72.2		27092
2STG254HO-D-1/2-EB	0169-AR	2x4	Diffuse	F54T5HO	87.1		27526
2STG254HO-D-1/2-EB-RIB	0169-AR	2x4	Diffuse	F54T5HO	87.1		27526
2STG254HO-DS-1/2-EB	0169-AR	2x4	Diffuse	F54T5HO	87.1		27526
2STG254HO-DS-1/2-EB-RIB	0169-AR	2x4	Diffuse	F54T5HO	87.1		27526
2STG254HO-PMW-1/2-EB	0169-AR	2x4	Round Perf.	F54T5HO	81.7		27527
2STG254HO-PMW-1/2-EB-RIB	0169-AR	2x4	Round Perf. +	F54T5HO	81.7		27527
2STG2CF40-D-1/2-EB	0167-AR	2x2	Diffuse	CF40	78.8		27157
2STG2CF40-D-1/2-EB-RIB	0167-AR	2x2	Diffuse	CF40	78.8		27157
2STG2CF40-DS-1/2-EB	0167-AR	2x2	Diffuse	CF40	78.8		27157
2STG2CF40-DS-1/2-EB-RIB	0167-AR	2x2	Diffuse	CF40	78.8		27157
2STG2CF40-PMW-1/2-EB	0167-AR	2x2	Round Perf.	CF40	70.8		27160
2STG2CF40-PMW-1/2-EB-RIB	0167-AR	2x2	Round Perf. +	CF40	70.8		27160
2STGA214-D-1/2-EB	0177-AR	2x2	Diffuse	F14T5	88.9		27067
2STGA214-D-1/2-EB-RIB	0177-AR	2x2	Diffuse	F14T5	88.9		27067
2STGA214-DS-1/2-EB	0177-AR	2x2	Diffuse	F14T5	88.9		27067
2STGA214-DS-1/2-EB-RIB	0177-AR	2x2	Diffuse	F14T5	88.9		27067
2STGA214-PMW-1/2-EB	0177-AR	2x2	Round Perf.	F14T5	78.9		27115
2STGA214-PMW-1/2-EB-RIB	0177-AR	2x2	Round Perf. +	F14T5	78.9		27115
2STGA217-D-1/2-EB	0177-AR	2x2	Diffuse	F17T8	81.7		27039
2STGA217-D-1/2-EB-RIB	0177-AR	2x2	Diffuse	F17T8	81.7		27039
2STGA217-DS-1/2-EB	0177-AR	2x2	Diffuse	F17T8	81.7		27039
2STGA217-DS-1/2-EB-RIB	0177-AR	2x2	Diffuse	F17T8	81.7		27039
2STGA217-PMW-1/2-EB	0177-AR	2x2	Round Perf.	F17T8	68.9		27112
2STGA217-PMW-1/2-EB-RIB	0177-AR	2x2	Round Perf. +	F17T8	68.9		27112
2STGA224HO-D-1/2-EB	0177-AR	2x2	Diffuse	F24T5HO	78.2		27397
2STGA224HO-D-1/2-EB-RIB	0177-AR	2x2	Diffuse	F24T5HO	78.2		27397
2STGA224HO-DS-1/2-EB	0177-AR	2x2	Diffuse	F24T5HO	78.2		27397
2STGA224HO-DS-1/2-EB-RIB	0177-AR	2x2	Diffuse	F24T5HO	78.2		27397
2STGA224HO-PMW-1/2-EB	0177-AR	2x2	Round Perf.	F24T5HO	70.7		27398
2STGA224HO-PMW-1/2-EB-RIB	0177-AR	2x2	Round Perf. +	F24T5HO	70.7		27398
2STGA228-D-1/2-EB	0179-AR	2x4	Diffuse	F28T5	95.1		27100
2STGA228-D-1/2-EB-RIB	0179-AR	2x4	Diffuse	F28T5	95.1		27100
2STGA228-DS-1/2-EB	0179-AR	2x4	Diffuse	F28T5	95.1		27100
2STGA228-DS-1/2-EB-RIB	0179-AR	2x4	Diffuse	F28T5	95.1		27100
2STGA228-PMW-1/2-EB	0179-AR	2x4	Round Perf.	F28T5	80.6		27099
2STGA228-PMW-1/2-EB-RIB	0179-AR	2x4	Round Perf. +	F28T5	80.6		27099

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
2STGA232-D-1/2-EB	0179-AR	2x4	Diffuse	F32T8	85.2		27034
2STGA232-D-1/2-EB-RIB	0179-AR	2x4	Diffuse	F32T8	85.2		27034
2STGA232-DS-1/2-EB	0179-AR	2x4	Diffuse	F32T8	85.2		27034
2STGA232-DS-1/2-EB-RIB	0179-AR	2x4	Diffuse	F32T8	85.2		27034
2STGA232-PMW-1/2-EB	0179-AR	2x4	Round Perf.	F32T8	72.2		27092
2STGA232-PMW-1/2-EB-RIB	0179-AR	2x4	Round Perf. +	F32T8	72.2		27092
2STGA254HO-D-1/2-EB	0179-AR	2x4	Diffuse	F54T5HO	87.1		27526
2STGA254HO-D-1/2-EB-RIB	0179-AR	2x4	Diffuse	F54T5HO	87.1		27526
2STGA254HO-DS-1/2-EB	0179-AR	2x4	Diffuse	F54T5HO	87.1		27526
2STGA254HO-DS-1/2-EB-RIB	0179-AR	2x4	Diffuse	F54T5HO	87.1		27526
2STGA254HO-PMW-1/2-EB	0179-AR	2x4	Round Perf.	F54T5HO	81.7		27527
2STGA254HO-PMW-1/2-EB-RIB	0179-AR	2x4	Round Perf. +	F54T5HO	81.7		27527
2STGA2CF40-D-1/2-EB	0177-AR	2x2	Diffuse	CF40	78.8		27157
2STGA2CF40-D-1/2-EB-RIB	0177-AR	2x2	Diffuse	CF40	78.8		27157
2STGA2CF40-DS-1/2-EB	0177-AR	2x2	Diffuse	CF40	78.8		27157
2STGA2CF40-DS-1/2-EB-RIB	0177-AR	2x2	Diffuse	CF40	78.8		27157
2STGA2CF40-PMW-1/2-EB	0177-AR	2x2	Round Perf.	CF40	70.8		27160
2STGA2CF40-PMW-1/2-EB-RIB	0177-AR	2x2	Round Perf. +	CF40	70.8		27160
2TG232-01D-1/2-EB-SI	426-SR	2x4	2 lamp	F32T8	83.3		16184
2TG232-PL3-1/2-EB-SI	426-SR	2x4	2 lamp	F32T8	69.4		15309
2TG432-01-1/4-EB-SI	426-SR	2x4	4 lamp	F32T8	79.5		LSC5714
2TG8217R-01-EB	424-SR	2x2	2 lamp	F17T8	80.5		27198
2TG8217R-PL3-EB	143-VDT	2x2	2 lamp	F17T8	65.1		27201
2TG8228-19-EB	425-SR	2x4	2 lamp	F28T5	75.0		28083
2TG8228-21-EB	425-SR	2x4	2 lamp	F28T5	79.2		28081
2TG8231U1R-01-EB	424-SR	2x2	2 lamp	31U1	77.0		27137
2TG8231U1R-PL3-EB	143-VDT	2x2	2 lamp	31U1	63.0		27154
2TG8231U6R-01-EB	424-SR	2x2	2 lamp	31U6	74.6		27135
2TG8231U6R-PL3-EB	143-VDT	2x2	2 lamp	31U6	61.3		27152
2TG8232-01-1/2-EB	425-SR	2x4	2 lamp	F32T8	87.1		22916
2TG8232-01-EB-SI	425-SR	2x4	2 lamp	F32T8	72.3		CD869
2TG8232-PL3-1/2-EB	144-VDT	2x4	2 lamp	F32T8	66.2		23188
2TG8240U6R-01	422-SR	2x2	2 lamp	40U6	71.7		22689P2
2TG8240UR-PL3-1/2-EB	141-VDT	2x2	2 lamp	40U6	55.2		22695
2TG82CF40R-01-EB	423-SR	2x2	2 lamp	CF40	78.0		27169
2TG82CF40R-PL3-EB	142-VDT	2x2	2 lamp	CF40	64.9		27177
2TG8317R-01-EB	424-SR	2x2	3 lamp	F17T8	78.3		27257
2TG8317R-PL3-EB	143-VDT	2x2	3 lamp	F17T8	62.3		27256
2TG8328-19-EB	425-SR	2x4	3 lamp	F28T5	76.0		28090

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
2TG8328-21-EB	425-SR	2x4	3 lamp	F28T5	79.5		28087
2TG8331U1R-01-EB	424-SR	2x2	3 lamp	31U1	73.3		27150
2TG8331U1R-PL3-EB	143-VDT	2x2	3 lamp	31U1	59.8		27148
2TG8332-01-1/3-EB	425-SR	2x4	3 lamp	F32T8	84.8		22921
2TG8332-PL3-1/3-EB	144-VDT	2x4	3 lamp	F32T8	64		23187
2TG83CF40R-01-EB	423-SR	2x2	3 lamp	CF40	76.0		27174
2TG83CF40R-PL3-EB	142-VDT	2x2	3 lamp	CF40	62.0		27176
2TG8417R-01-EB	424-SR	2x2	4 lamp	F17T8	74.5		27260
2TG8417R-PL3-EB	143-VDT	2x2	4 lamp	F17T8	61.2		27261
2TG8428-19-EB	425-SR	2x4	4 lamp	F28T5	71.6		28096
2TG8428-21-EB	425-SR	2x4	4 lamp	F28T5	75.0		28095
2TG8432-01-1/4-EB	425-SR	2x4	4 lamp	F32T8	82.9		22910
2TG8432-PL3-1/4-EB	144-VDT	2x4	4 lamp	F32T8	62.3		23190
2TG8454HO-01-EB	425-SR	2x4	4 lamp	F54T5HO	64.3		26378
2TOCG232-LMWS-1/2-EB	0567-AR	2X4	2 lamp	F32T8	54.9	1.3	24351
2TOCG232-PMW-1/2-EB	0557-AR	2x4	2 lamp	F32T8	59.9		22257
2TOCG2CF40-LMWS-1/2-EB	0565-AR	2x2	2 lamp	CF40	54.7	1.3	24891
2TOCG2CF40-PMW-1/2-EB	0555-AR	2x2	2 lamp	CF40	60.9		22252
2TOSG232-PMW-1/2-EB	0577-AR	2x4	2 lamp	F32T8	63.4		22256
2TOSG2CF40-PMW-1/2-EB	0575-AR	2x2	2 lamp	CF40	65.2		22253
2UGS231U1-24FL-1/2-EB	107-VDT	2x2	2 lamp	31U1	65.4		16396
2UGS231U1-24SL-1/2-EB	107-VDT	2x2	2 lamp	31U1	62.8		16397
2UGS232-29FL-1/2-EB	109-VDT	2x4	2 lamp	F32T8	69		15920
2UGS232-29-SL-1/2-EB	109-VDT	2x4	2 lamp	F32T8	64.5		16433
2UGS2CF40-24FL-1/2-EB	106-VDT	2x2	2 lamp	CF40	66.9		16399
2UGS2CF40-24SL-1/2-EB	106-VDT	2x2	2 lamp	CF40	64.6		16400
2UGS331U1-34FL-1/3-EB	107-VDT	2x2	3 lamp	31U1	55.3		13665
2UGS331U1-34SL-1/3-EB	107-VDT	2x2	3 lamp	31U1	52.6		14845
2UGS332-39FL-1/3-EB	109-VDT	2x4	3 lamp	F32T8	66.9		14376
2UGS332-39SL-1/3-EB	109-VDT	2x4	3 lamp	F32T8	63.4		143751
2UGS3CF40-34FL-1/3-EB	106-VDT	2x2	3 lamp	CF40	68.8		13633
2UGS3CF40-34SL-1/3-EB	106-VDT	2x2	3 lamp	CF40	62.3		14849
2WSR217-23RMW-EB	277-PLV	2x2	2 lamp	F17T8	76.7		28008
2WSR232-26RMW-EB	278-PLV	2x4	2 lamp	F32T8	85.8		27910
3DG425-RA20-2/2-EB	409-SR	3x3	4 lamp	F25T8	79.8		16158
3DG430-RA20	409-SR	3x3	4 lamp	F30T12	68.8		7908
3DG625-RA20-2/3-EB	409-SR	3x3	6 lamp	F25T8	76.3		16156
3DG630-RA20	409-SR	3x3	6 lamp	F30T12	62.2		7902
3DGU425-RA20-1/4-EB	516-AH	3x3	4 lamp	F25T8	78.9		16159

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
3DGU430-RA20	516-AH	3x3	4 lamp	F30T12	64.5		7894
3DGU625-RA20-2/3-EB	516-AH	3x3	6 lamp	F25T8	77.3		16157
3DGU630-RA20	516-AH	3x3	6 lamp	F30T12	61.6		7896
3MP3GA132-16FL-1/1-EB	601-ME	300X1200mm	1 lamp	F32T8	69.6		16653
3MP3GA132-16SL-1/1-EB	601-ME	300X1200mm	1 lamp	F32T8	68.1		16654
3MP3GA132-18FL-1/1-EB	601-ME	300X1200mm	1 lamp	F32T8	67.5		16655
3MP3GA132-18SL-1/1-EB	601-ME	300X1200mm	1 lamp	F32T8	65.9		16656
3MP3GA232-16FL-1/2-EB	601-ME	300X1200mm	2 lamp	F32T8	68.3		16635
3MP3GA232-16SL-1/2-EB	601-ME	300X1200mm	2 lamp	F32T8	66.9		16636
3MP3GA232-18FL-1/2-EB	601-ME	300X1200mm	2 lamp	F32T8	65.7		16637
3MP3GA232-18SL-1/2-EB	601-ME	300X1200mm	2 lamp	F32T8	64.5		16638
3MP3GA232-26FL-1/2-EB	602-ME	300X1200mm	2 lamp	F32T8	63.3		16649
3MP3GA232-26SL-1/2-EB	602-ME	300X1200mm	2 lamp	F32T8	61.7		16650
3MP3GA232-28FL-1/2-EB	602-ME	300X1200mm	2 lamp	F32T8	61.2		16651
3MP3GA232-28SL-1/2-EB	602-ME	300X1200mm	2 lamp	F32T8	59.6		16652
3MSRG132-FA21-1/1-EB	610-ME	300X1200mm	1 lamp	F32T8	72.3		16726
3MSRG232-FA21-1/2-EB	610-ME	300X1200mm	2 lamp	F32T8	65.6		16722
4DG432-RA20-1/4-EB	410-SR	4x4	4 lamp	F32T8	79.1		16172
4DG632-RA20-2/3-EB	410-SR	4x4	6 lamp	F32T8	77.6		16168
4DG832-RA20-2/4-EB	410-SR	4x4	8 lamp	F32T8	74.4		16171
4DGU432-RA20-1/4-EB	517-AH	4x4	4 lamp	F32T8	76.2		16173
4DGU632-RA20-2/3-EB	517-AH	4x4	6 lamp	F32T8	75.4		16169
4DGU832-RA20-2/4-EB	517-AH	4x4	8 lamp	F32T8	72.4		16170
4P4GA632-66FL-2/3-EB	211-PLV	4X4	6 lamp	F32T8	72.9		16167
4P4GA632-66SL-2/3-EB	211-PLV	4X4	6 lamp	F32T8	69.8		16166
4P4GA832-88FL-2/4-EB	211-PLV	4X4	8 lamp	F32T8	65.5		16160
4P4GA832-88SL-2/4-EB	211-PLV	4X4	8 lamp	F32T8	61.8		16161
4S4P632-66SL-2/3-EB	916-SS	4X4	6 lamp	F32T8	69.8		16166
4S4P832-88SL-2/4-EB	916-SS	4X4	8 lamp	F32T8	61.8		16161
4SM432-FS20-1/4-EB	935-SS	4X4	4 lamp	F32T8	81.7		15534
4SM632-FS20-2/3-EB	935-SS	4X4	6 lamp	F32T8	75.8		15535
4SM832-FS20-2/4-EB	935-SS	4X4	8 lamp	F32T8	74		15533
5F128-PP1	1401-IF	4 Foot	10% Uplight	F28T5	97		25962
5F128-PPS	1401-IF	4 Foot	Soild Top	F28T5	99		25961
5F154HO-PP1-EB	1401-IF	4 Foot	10% Uplight	F54T5HO	94.2		25372
5F154HO-PPS	1401-IF	4 Foot	Soild Top	F54T5HO	98.9		25940
5F180HO-PP1	1401-IF	5 foot	10% Uplight	F80T5HO	104.6		26038
5F180HO-PPS	1401-IF	5 foot	Solid Top	F80T5HO	102.7		26037
5F228-PP1	1401-IF	4 Foot	10% Uplight	F28T5	94.7		25945

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
5F228-PP1-BFP1-4	1401-IF	4 Foot	10% Uplight	F28T5	68.5		25946
5F228-PP2	1401-IF	4 Foot	25% Uplight	F28T5	91.2		25954
5F228-PP2-BFP2-4	1401-IF	4 Foot	25% Uplight	F28T5	72.2		25955
5F228-PPS	1401-IF	4 Foot	Soild Top	F28T5	94.6		25949
5F228-PPS-BFP1-4	1401-IF	4 Foot	Soild Top	F28T5	64.9		25950
5F254HO-PP1-BFP1-4	1401-IF	4 Foot	10% Uplight	F54T5HO	66.4		25938
5F254HO-PP1-EB	1401-IF	4 Foot	10% Uplight	F54T5HO	94.6		25369
5F254HO-PP2-BFP2-4	1401-IF	4 Foot	25% Uplight	F54T5HO	69.9		25939
5F254HO-PP2-EB	1401-IF	4 Foot	25% Uplight	F54T5HO	91.7		25370
5F254HO-PPS	1401-IF	4 Foot	Soild Top	F54T5HO	94.5		25934
5F254HO-PPS-BFP1-4	1401-IF	4 Foot	Soild Top	F54T5HO	64.7		25936
5F280HO-PP1	1401-IF	5 foot	10% Uplight	F80T5HO	102.2		26031
5F280HO-PP1-BFP1-5	1401-IF	5 foot	10% Uplight	F80T5HO	73.8		26032
5F280HO-PP2	1401-IF	5 foot	25% Uplight	F80T5HO	95.5		26033
5F280HO-PP2-BFP2-5	1401-IF	5 foot	25% Uplight	F80T5HO	76.8		26034
5F280HO-PPS	1401-IF	5 foot	Solid Top	F80T5HO	93.4		26035
5F280HO-PPS-BFP1-5	1401-IF	5 foot	Solid Top	F80T5HO	60.7		26036
5F328-PP1	1401-IF	4 Foot	10% Uplight	F28T5	91.9		25943
5F328-PP1-BFP1-4	1401-IF	4 Foot	10% Uplight	F28T5	66.4		25944
5F328-PPS	1401-IF	4 Foot	Soild Top	F28T5	89.5		25941
5F328-PPS-BFP1-4	1401-IF	4 Foot	Soild Top	F28T5	61.2		25942
5F354HO-PP1-BFP1-4	1401-IF	4 Foot	10% Uplight	F54T5HO	67.9		25932
5F354HO-PP1-EB	1401-IF	4 Foot	10% Uplight	F54T5HO	88.6		25368
5F354HO-PPS	1401-IF	4 Foot	Soild Top	F54T5HO	86.6		25928
5F354HO-PPS-BFP1-4	1401-IF	4 Foot	Soild Top	F54T5HO	58.4		25931
5F380HO-PP1	1401-IF	5 foot	10% Uplight	F80T5HO	96.9		26029
5F380HO-PP1-BFP1-5	1401-IF	5 foot	10% Uplight	F80T5HO	65.5		26030
5F380HO-PPS	1401-IF	5 foot	Solid Top	F80T5HO	84.2		26027
5F380HO-PPS-BFP1-5	1401-IF	5 foot	Solid Top	F80T5HO	55.2		26028
5UC128D-1/1-EB	1220-WU	4 Foot		F28T5	79.4		17842
5UC128S	1221-WU	4 Foot		F28T5	79.6		17847
5UC128W	1220-WU	4 Foot		F28T5	70.8		17843
6ATWG154HO-5-DO-1/2-EB	0003-AR	6 Inch	Diffuse/Overlay	F54T5HO	71.6		26946
6MP3GA217-33FL-1/2-EB	603-ME	600x600mm	2 lamp	F17T8	69.2		16613
6MP3GA217-33SL-1/2-EB	603-ME	600x600mm	2 lamp	F17T8	67.3		16614
6MP3GA217-44FL-1/2-EB	603-ME	600x600mm	2 lamp	F17T8	64.6		16615
6MP3GA217-44SL-1/2-EB	603-ME	600x600mm	2 lamp	F17T8	62.2		16616
6MP3GA231U1-33FL-1/2-EB	604-ME	600x600mm	2 lamp	31U1	73.6		16608
6MP3GA231U1-33SL-1/2-EB	604-ME	600x600mm	2 lamp	31U1	71.8		16609

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
6MP3GA231U1-44FL-1/2-EB	604-ME	600x600mm	2 lamp	31U1	68.9		16610
6MP3GA231U1-44SL-1/2-EB	604-ME	600x600mm	2 lamp	31U1	66.6		16611
6MP3GA232-26FL-1/2-EB	606-ME	600x1200mm	2 lamp	F32T8	79		16599
6MP3GA232-26SL-1/2-EB	606-ME	600x1200mm	2 lamp	F32T8	78.3		16600
6MP3GA232-48FL-1/2-EB	606-ME	600x1200mm	2 lamp	F32T8	72.9		16659
6MP3GA232-48SL-1/2-EB	606-ME	600x1200mm	2 lamp	F32T8	70		16660
6MP3GA2CF40-33FL-1/2-EB	605-ME	600x600mm	2 lamp	CF40	78.1		16617
6MP3GA2CF40-33SL-1/2-EB	605-ME	600x600mm	2 lamp	CF40	77.2		16618
6MP3GA2CF40-44FL-1/2-EB	605-ME	600x600mm	2 lamp	CF40	73.4		16619
6MP3GA2CF40-44SL-1/2-EB	605-ME	600x600mm	2 lamp	CF40	70.8		16620
6MP3GA317-33FL-1/3-EB	603-ME	600x600mm	3 lamp	F17T8	67		16630
6MP3GA317-33SL-1/3-EB	603-ME	600x600mm	3 lamp	F17T8	65.5		16631
6MP3GA317-44FL-1/3-EB	603-ME	600x600mm	3 lamp	F17T8	61.8		16632
6MP3GA317-44SL-1/3-EB	603-ME	600x600mm	3 lamp	F17T8	59.6		16633
6MP3GA331U1-33FL-1/3-EB	604-ME	600x600mm	3 lamp	31U1	69.3		16626
6MP3GA331U1-33SL-1/3-EB	604-ME	600x600mm	3 lamp	31U1	67.9		16627
6MP3GA331U1-44FL-1/3-EB	604-ME	600x600mm	3 lamp	31U1	64		16628
6MP3GA331U1-44SL-1/3-EB	604-ME	600x600mm	3 lamp	31U1	61.4		16629
6MP3GA332-36FL-1/3-EB	607-ME	600x1200mm	3 lamp	F32T8	76.4		16595
6MP3GA332-36SL-1/3-EB	607-ME	600x1200mm	3 lamp	F32T8	74.5		16596
6MP3GA3CF40-33FL-1/3-EB	605-ME	600x600mm	3 lamp	CF40	74.2		16621
6MP3GA3CF40-33SL-1/3-EB	605-ME	600x600mm	3 lamp	CF40	72.8		16622
6MP3GA3CF40-44FL-1/3-EB	605-ME	600x600mm	3 lamp	CF40	69.2		16623
6MP3GA3CF40-44SL-1/3-EB	605-ME	600x600mm	3 lamp	CF40	66.5		16624
6MP3GA432-48FL-1/4-EB	608-ME	600x1200mm	4 lamp	F32T8	70		16603
6MP3GA432-48SL-1/4-EB	608-ME	600x1200mm	4 lamp	F32T8	67.3		16604
6MSRG217-FA21-1/2-EB	611-ME	600x600mm	2 lamp	F17T8	67.2		16713
6MSRG231U1-FA21-1/2-EB	612-ME	600x600mm	2 lamp	31U1	72.5		16708
6MSRG232-FA21-1/2-EB	614-ME	600x1200mm	2 lamp	F32T8	77.2		16667
6MSRG2CF40-FA21-1/2-EB	613-ME	600x600mm	2 lamp	CF40	76.4		16700
6MSRG317-FA21-1/3-EB	611-ME	600x600mm	3 lamp	F17T8	63.8		16679
6MSRG331U1-FA21-1/3-EB	612-ME	600x600mm	3 lamp	31U1	66		16687
6MSRG332-FA21-1/3-EB	614-ME	600x1200mm	3 lamp	F32T8	74.4		165901
6MSRG3CF40-FA21-1/3-EB	613-ME	600x600mm	3 lamp	CF40	75.1		16691
6MSRG432-FA21-1/4-EB	614-ME	600x1200mm	4 lamp	F32T8	71		16678
6STG154HO-5-D-1/1-EB	0163-AR	6 Inch	Diffuse	F54T5HO	75.1		27291
8UC132D-1/1-EB	1224-WU	4 Foot		F32T8	63.1		17841
8UC132S	1225-WU	4 Foot		F32T8	68.1		17849
8UC132W	1224-WU	4 Foot		F32T8	68.1		17839

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
ACB232A-1/2-EB	1211-WU	4 Foot		F32T8	72.9		19762
ADD1C232-F3-4	0955-AR	4 Foot	Direct/Indirect	F32T8	81.5		21998
ADD1C232-S3-4	0955-AR	4 Foot	Direct/Indirect	F32T8	75		21997
ADD1C332-F3-4	0955-AR	4 Foot	Direct/Indirect	F32T8	79.2		21987
ADD1C332-F9-4	0955-AR	4 Foot	Direct/Indirect	F32T8	75.1		21985
ADD1C332-S3-4	0955-AR	4 Foot	Direct/Indirect	F32T8	73.7		21988
ADD1C332-S9-4	0955-AR	4 Foot	Direct/Indirect	F32T8	72.9		21986
AD11C132-00-4	0957-AR	4 Foot	Indirect	F32T8	87.6		21958U
AD11C232-00-4	0957-AR	4 Foot	Indirect	F32T8	80		21955U
AD11C332-00-4	0957-AR	4 Foot	Indirect	F32T8	75		21954U
AH232-1/2-EB	1203-WU	4 Foot	2 lamp	F32T8	58.7		24901
AH332-2/1-EB	1203-WU	4 Foot	3 lamp	F32T8	52.8		24902
AH432-2/2-EB	1203-WU	4 Foot	4 lamp	F32T8	53.3		24900
AL296HO	1446-IF	8 foot	2 lamp	F96T12HO	78		BL7763
ATS117-D-EB	0155-AR	2 foot		F17T8	54.7		27019
ATS1CF18-D-EB	0155-AR	1 foot		CF18	55.8		26867
AVS232-PMW-1/2-EB	0465-AR	4 foot	Surface	F32T8	59.1		23838
AVS2CF18-SPMW-1/2-EB	0467-AR	1 foot	Split Basket	CF18	64.5		267941
AVS2CF40-PMW-1/2-EB	0465-AR	2 foot	Surface	CF40	81.5		21342
AVS2CF40-SPMW-1/2-EB	0467-AR	2 foot	Split Basket	CF40	76		268061
AVSC2CF18-PMW-1/2-EB	0471-AR		Cloud Sconce	CF18	64		25196
AVSE2CF18-FGL-EB	0473-AR	1 foot	Essence	CF18	65.6		267961
AVSE2CF40-FGL-EB	0473-AR	2 foot	Essence	CF40	65.8		268031
AVSQ2CF18-PMW-1/2-EB	0469-AR		Square Sconce	CF18	27		25197
AVW232-PMW-1/2-EB	0485-AR	4 Foot	Wall	F32T8	34.7		24706
AVW232-PMW-1/2-EB-LENS	0485-AR	4 Foot	Wall	F32T8	51.4		24704
AWB232A-1/2-EB	1211-WU	4 Foot	Angled	F32T8	82.4		19759
AWN232-1/2-EB	1005-WP	4 Foot		F32T8	81.5		14955
AWN332-1/3-EB	1005-WP	4 Foot		F32T8	76.5		14954
AWW232-1/2-EB	1006-WP	4 Foot		F32T8	85.3		14957
AWW332-1/3-EB	1006-WP	4 Foot		F32T8	82		14950
AWW432-1/4-EB	1006-WP	4 Foot		F32T8	81.8		14976
BWN232-1/2-EB	1030-WP	4 Foot		F32T8	80.4		26334
BWW232-1/2-EB	1031-WP	4 Foot		F32T8	82.8		26335
BWW432-1/4-EB	1031-WP	4 Foot		F32T8	73.5		26336
CAI132-O-4-1/1-EB	0675-AR	4 Foot	1 lamp	F32T8	69.0		28484
CAI232-O-4-1/2-EB	0675-AR	4 Foot	2 lamp	F32T8	66.0		28485
CAN232-1/2-EB	1020-WP	4 Foot	2 lamp	F32T8	72.8		ITL41974
CAN254HO-1/2-EB	1020-WP	4 Foot	2 lamp	F54T5HO	80.0		28559

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
CAW332-1/3-EB	1022-WP	4 Foot	3 lamp	F32T8	85.7		ITL41975
CAW432-1/4-EB	1021-WP	4 Foot	4 lamp	F32T8	74.1		ITL41976
CB140-B-120	1205-WU	4 Foot	Up/Downlight	F40T12	79.9		22785A
CB232-B-EB	1205-WU	4 Foot	Up/Downlight	F32T8	59.9		27964
CB240-B-120	1205-WU	4 Foot	Up/Downlight	F40T12	59		22783A
CD140-B-120	1205-WU	4 Foot	Downlight	F40T12	46.1		22787
CD232-B-EB	1205-WU	4 Foot	Downlight	F32T8	58.2		27967
CD240-B-120	1205-WU	4 Foot	Downlight	F40T12	64.5		22788
CH232-B-EB	1201-WU	4 Foot	2 lamp	F32T8	64		27960
CH240-B	1201-WU	4 Foot	2 lamp	F40T12	34.1		22781A
CH332-B-EB	1201-WU	4 Foot	3 lamp	F32T8	61.8		27949
CH340-B	1201-WU	4 Foot	3 lamp	F40T12	37.6		22779A
CLDW232-1/2-EB	1212-WU	4 Foot		F32T8	69		19743
CLN232-120-1/2-EB	1013-WP	4 Foot		F32T8	61.7		17264
CLW432-120-1/4-EB	1013-WP	4 Foot		F32T8	60.8		17258
CN154HO-L-1/1-EB	0667-AR	4 Foot		F54T5HO	79.2	1.0	23879
CN154HO-WL-1/1-EB	0667-AR	4 Foot		F54T5HO	73.4	1.1	23880
CP232-W-1/2-EB	1520-PF	4 Foot		F32T8	81.5		ITL42175
CP296HO-W-1/2-EB	1521-PF	8 foot		F96T12HO	74.4		ITL42177
CVCA154HO-4	745-SA	4 Foot	Asymmetric	F54T5HO	50.6		27539
CVSA132-4	745-SA	4 Foot	Asymmetric	F32T8	60.1		27540
CVSA154HO-4	745-SA	4 Foot	Asymmetric	F54T5HO	70.9		27541
CVSA232-4	745-SA	4 Foot	Asymmetric	F32T8	64		27542
CVSA254HO-4	745-SA	4 Foot	Asymmetric	F54T5HO	71.8		27543
CVSW228-4	745-SA	4 Foot	Wall Wash	F28T5	75.4		27538
DCI132-A-O-4-1/1-EB	0677-AR	4 Foot	1 lamp	F32T8	71.0		28488
DCI154HO-B-O-4-1/1-EB	0677-AR	4 Foot	2 lamp	F54T5HO	61.0		28487
DTWT232-TG-1/2-EB	1532-PF	4 foot	2 lamp	F32T8	73.5		16144
DTWT248HO-TG	1533-PF	4 foot	2 lamp	F48T12HO	62.1		16147
DTWT332-TG-1/3-EB	1532-PF	4 foot	3 lamp	F32T8	71.1		16141
DTWT348HO-TG	1533-PF	4 foot	3 lamp	F48T12HO	55.2		16146
DWAE132-1/1-EB	1514-PF	4 foot	1 lamp	F32T8	84.5		15065
DWAE148HO	1514-PF	4 foot	1 lamp	F48T12 Slimline	89.6		15068
DWAE196	1516-PF	8 foot	1 lamp	F96T12 Slimline	93.2		BL7380
DWAE196HO	1516-PF	8 foot	1 lamp	F96T12HO	81.8		BL7384
DWAE232-1/2-EB	1514-PF	4 foot	2 lamp	F32T8	85.1		20017
DWAE248HO	1514-PF	4 foot	2 lamp	F48T12 Slimline	74.1		15067
DWAE259-1/2-EB	1516-PF	8 foot	2 lamp	F96T8 Slimline	76.6		LSC7929
DWAE286HO-1/2-EB	1516-PF	8 foot	2 lamp	F86T8HO	72.6		LSC7930

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
DWAE296-1/2-EB	1516-PF	8 foot	2 lamp	F96T12 Slimline	86.1		BL7382
DWAE296HO-1/2-EB	1516-PF	8 foot	2 lamp	F96T12HO	73.2		BL7386
DWN232-1/2-EB	1010-WP	4 Foot		F32T8	79.1		17040
DWW232-1/2-EB	1011-WP	4 Foot		F32T8	83.2		17014
DWW332-1/3-EB	1011-WP	4 Foot		F32T8	78.8		17026
DWW432-120-1/4-EB	1011-WP	4 Foot		F32T8	78.2		17028
ELB154HO-W-1/1-EB	0665-AR	4 foot		F54T5HO	78.9	0.6	238891
EQ354HO-W-EB	940-SS	4 Foot	3 lamp	F54T5HO	78.2		25504
EQS232-W-1/2-EB	940-SS	4 foot	2 lamp	F32T8	74.9		19991
EQS332-W-1/3-EB	940-SS	4 foot	3 lamp	F32T8	77.8		19988
EV232-W-1/2-EB	942-SS	4 foot		F32T8	76.5		20928
FBE454HO-2/2-EB	1476-IF	4 Foot	4 lamp	F54T5HO	86.3	1.3/1.1	24007
FBE654HO-3/2-EB	1476-IF	4 Foot	6 lamp	F54T5HO	85.9	1.3/1.1	24005
FBF354HO-EB	1477-IF	4 Foot	3 lamp	F54T5HO	98.6		25829
FBF432-EB FBF-4E-1W	1477-IF	4 Foot	4 lamp	F32T8	73.7		26405
FBF432-EBH FBF-4E-1W-DB21	1477-IF	4 Foot	4 lamp	F32T8	71.7		26958
FBF432-EBH-U FBF-4E-1W-DB21	1477-IF	4 Foot	4 lamp	F32T8	76.4		26957
FBF432-EB-U FBF-4E-1W	1477-IF	4 Foot	4 lamp	F32T8	79.8		26407
FBF432-UNV-2/2-EB	1477-IF	4 Foot	4 lamp	F32T8	86	1.2	25355
FBF432-UNV-2/2-EB-U	1477-IF	4 Foot	4 lamp	F32T8	90	1.3	25354
FBF432-UNV-2/2-EB-U-WT	1477-IF	4 Foot	4 lamp	F32T8	86.9	1.3	25359
FBF432-UNV-2/2-EB-WT	1477-IF	4 Foot	4 lamp	F32T8	82	1.3	25356
FBF454HO-2/2-EB	1477-IF	4 Foot	4 lamp	F54T5HO	82.1	1.2	25193
FBF454HO-2/2-EB-U	1477-IF	4 Foot	4 lamp	F54T5HO	93.5	1.1	25219
FBF454HO-2/2-EB-U-WT	1477-IF	4 Foot	4 lamp	F54T5HO	89.4	1.3	25103
FBF454HO-2/2-EB-WT	1477-IF	4 Foot	4 lamp	F54T5HO	79.9	1.3	25098
FBF454HO-EB FBF-4E-1W	1477-IF	4 Foot	4 lamp	F54T5HO	62.8		26413
FBF454HO-EB FBF-4E-1W-DB21	1477-IF	4 Foot	4 lamp	F54T5HO	56.9		26961
FBF454HO-EB-U FBF-4E-1W	1477-IF	4 Foot	4 lamp	F54T5HO	71		26415
FBF454HO-EB-U FBF-4E-1W-DB21	1477-IF	4 Foot	4 lamp	F54T5HO	65.9		26962
FBF632-EB FBF-6E-1W	1477-IF	4 Foot	6 lamp	F32T8	72.5		26401
FBF632-EBH FBF-6E-1W-DB21	1477-IF	4 Foot	6 lamp	F32T8	72.8		26960
FBF632-EBH-U FBF-6E-1W-DB21	1477-IF	4 Foot	6 lamp	F32T8	80.5		26959
FBF632-EB-U FBF-6E-1W	1477-IF	4 Foot	6 lamp	F32T8	77.5		26403
FBF632-UNV-3/2-EBH	1477-IF	4 Foot	6 lamp	F32T8	83.8	1.2	25346
FBF632-UNV-3/2-EBH-U	1477-IF	4 Foot	6 lamp	F32T8	93.1	1.2	25345
FBF632-UNV-3/2-EBH-U-WT	1477-IF	4 Foot	6 lamp	F32T8	88.4	1.3	25351
FBF632-UNV-3/2-EBH-WT	1477-IF	4 Foot	6 lamp	F32T8	79.2	1.3	25348
FBF654HO-1/42-EB	1477-IF	4 Foot	6 lamp	F54T5HO	81.2	1.2	25363

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
FBF654HO-1/42-EB-U	1477-IF	4 Foot	6 lamp	F54T5HO	91.3	1.0	25362
FBF654HO-1/42-EB-U-WT	1477-IF	4 Foot	6 lamp	F54T5HO	86.9	1.3	25367
FBF654HO-1/42-EB-WT	1477-IF	4 Foot	6 lamp	F54T5HO	77.8	1.3	25364
FBF654HO-EB FBF-6E-1W	1477-IF	4 Foot	6 lamp	F54T5HO	65.7		26411
FBF654HO-EB FBF-6E-1W-DB21	1477-IF	4 Foot	6 lamp	F54T5HO	63.6		26964
FBF654HO-EB-U FBF-6E-1W	1477-IF	4 Foot	6 lamp	F54T5HO	73.7		26409
FBF654HO-EB-U FBF-6E-1W-DB21	1477-IF	4 Foot	6 lamp	F54T5HO	70.5		26963
FBF685HO-EB	1477-IF	4 Foot	6 lamp	F85T8VHO	83.2		27077
FBF685HO-EB-U	1477-IF	4 Foot	6 lamp	F85T8VHO	85.7		27075
FGL432-MC-EB-WG	HB-10034	4 Foot	4 lamp	F32T8	83.5	1.3	27384
FGL454HO-MC-EB-WG	HB-10034	4 Foot	4 lamp	F54T5HO	86.2	1.2	25625
FGL632-MC-EB-WG	HB-10034	4 Foot	6 lamp	F32T8	84.9	1.3	27385
FGL654HO-MC-EB-WG	HB-10034	4 Foot	6 lamp	F54T5HO	90.1	1.2	25626
FHB632-EBH	1475-IF	4 Foot	6 lamp	F32T8	83.9	1.4/1.2	22980
FHB654HO-EB	1475-IF	4 Foot	6 lamp	F54T5HO	95.9	1.3/1.2	23527
FHB680HO-EB	1475-IF	4 Foot	6 lamp	F80T5HO	95.1		26658
FHB832-EBH	1475-IF	4 Foot	8 lamp	F32T8	92.0		27339
FHB832-EBH-U	1475-IF	4 Foot	8 lamp	F32T8	90.8		26954
FHB832-EB-WT-U	1475-IF	4 Foot	8 lamp	F32T8	93.8		23973
FHB854HO-EB	1475-IF	4 Foot	8 lamp	F54T5HO	89.1		27333
FHB854HO-EB-U	1475-IF	4 Foot	8 lamp	F54T5HO	90.2		26793
FTV454HO-FL-2/2-EB	1474-IF	4 foot	4 lamp	F54T5HO	88.3	1.2/1.0	23524
FTV454HO-FL-2/2-EB FTV-4E	1474-IF	4 foot	4 lamp	F54T5HO	76.3	1.2/1.0	23523
FTV454HO-M4-2/2-EB	1474-IF	4 foot	4 lamp	F54T5HO	94.5	1.3/1.0	23521
FTV454HO-M4-2/2-EB FTV-4E	1474-IF	4 foot	4 lamp	F54T5HO	82.2	1.2/1.0	23520
FTV480HO-FL-4/1-EB	1474-IF	5 foot	4 lamp	F80T5HO	92.6	1.3/0.9	23542
FTV480HO-FL-4/1-EB FTV-5E	1474-IF	5 foot	4 lamp	F80T5HO	79.4	1.2/0.9	23540
FTV480HO-M4-4/1-EB	1474-IF	5 foot	4 lamp	F80T5HO	100.2	1.3/1.0	23536
FTV480HO-M4-4/1-EB FTV-5E	1474-IF	5 foot	4 lamp	F80T5HO	85.4	1.3/1.0	23534
GND128-4		4 Foot	1 lamp	F28T5	79.3		24895
GND154HO-4		4 Foot	1 lamp	F54T5HO	81		24892
GND228-4		4 Foot	2 lamp	F28T5	76.4		24894
GND254HO-4		4 Foot	2 lamp	F54T5HO	73.6		24893
HDI232-EB	1405-IF	4 foot	2 lamp	F32T8	92.1		22333
HDI232-EB-SI	1405-IF	4 Foot	2 lamp	F32T8	93.1		22332
HDS232-1/2-EB	1107-S	4 Foot	2 lamp	F32T8	93.3		14719
HDS296HO-1/2-EB	1107-S	4 Foot	2 lamp	F96T12HO	97.1		T10973
HP232-1/2-EB	1406-IF	4 Foot	2 lamp	F32T8	88.1		22158
HP332-1/3-EB	1406-IF	4 Foot	3 lamp	F32T8	93.7		239912

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
HW132-1/1-EB	1001-WP	4 Foot		F32T8	84.5		14977
HWN232-1/2-EB	1002-WP	4 Foot		F32T8	79.5		14941
HWN332-1/3-EB	1002-WP	4 Foot		F32T8	75.3		14943
HWW232-1/2-EB	1003-WP	4 Foot		F32T8	83.5		14956
HWW332-1/3-EB	1003-WP	4 Foot		F32T8	81.5		14952
HWW432-1/4-EB	1003-WP	4 Foot		F32T8	79.6		14974
IA232-1/2-EB	1440-IF	4 Foot	Uplight	F32T8	86.6		ITL42321
IA248-120	1441-IF	4 foot	Uplight	F48T12 Slimline	88.1		14110
IA248HO-120	1442-IF	4 foot	Uplight	F48T12HO	89		14115
IA248VH-120	1443-IF	4 foot	Uplight	F48T12VHO	86		14118
IA259-1/2-EB	1441-IF	8 foot	Uplight	F96T8 Slimline	92.6		ITL42323
IA296	1441-IF	8 foot	Uplight	F96T12 Slimline	90.2		ITL42322
IA296HO	1442-IF	8 foot	Uplight	F96T12HO	86.9		ITL42324
IA296HO-1/2-EB	1442-IF	8 foot	Uplight	F96T12HO	89.3		ITL42325
IA296VH	1443-IF	8 foot	Uplight	F96T12VHO	85.9		14118P
IKA232-120-1/2-EB	1435-IF	4 Foot	2 lamp	F32T8	95.1		19716
IKA232-EB-IK-BF	1435-IF	4 Foot	2 lamp	F32T8	91.9		26519
IKA254HO-1/2-EB	1435-IF	4 Foot	2 lamp	F54T5HO	94.8		22501
IKA254HO-EB-IK-BF	1435-IF	4 Foot	2 lamp	F54T5HO	79.8		27606
IKA354HO-EB	1435-IF	4 Foot	3 lamp	F54T5HO	95.8		25137
IKA354HO-EB-IK-BF	1435-IF	4 Foot	3 lamp	F54T5HO	89.3		26790
IS232-120-1/2-EB	1440-IF	4 foot	Solid Top	F32T8	87.4		14838
IS248-120	1441-IF	4 foot	Solid Top	F48T12 Slimline	88.2		14109
IS248HO-120	1442-IF	4 foot	Solid Top	F48T12HO	87.7		14116
IS248VH-120	1443-IF	4 foot	Solid Top	F48T12VHO	82.9		14119
IS296-120	1441-IF	8 foot	Solid Top	F96T12 Slimline	88.2		14109P
IS296HO-120	1442-IF	8 foot	Solid Top	F96T12HO	87.7		14116P
IS296VH-120	1443-IF	8 foot	Solid Top	F96T12VHO	82.9		14119P
L5P1C128-W-4-SEG	0937-AR	4 Foot	Perf. Side	F28T5	78.4		26323
L5P1C128-WO-4-SEG	0937-AR	4 Foot	Perf. Side	F28T5	65.7		26325
L5P1C154HO-W-4-SEG	0937-AR	4 Foot	Perf. Side	F54T5HO	74.6		26223
L5P1C154HO-WO-4-SEG	0937-AR	4 Foot	Perf. Side	F54T5HO	56.5		26225
L5P1C228-W-4	0937-AR	4 foot	Perf. Side	F28T5	81.1		26310
L5P1C228-WO-4	0937-AR	4 Foot	Perf. Side	F28T5	80		26312
L5P1C228-WO-4-SEG	0937-AR	4 Foot	Perf. Side	F28T5	79.2		26317
L5P1C254HO-W-4	0937-AR	4 Foot	Perf. Side	F54T5HO	83.5		26211
L5P1C254HO-WO-4	0937-AR	4 Foot	Perf. Side	F54T5HO	74.4		26213
L5P1C254HO-WO-4-SEG	0937-AR	4 Foot	Perf. Side	F54T5HO	72		26217
L5P1C328-W-4	0937-AR	4 Foot	Perf. Side	F28T5	82.5		26279

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
L5P1C328-W-4-SEG	0937-AR	4 Foot	Perf. Side	F28T5	81.5		26270
L5P1C328-WO-4	0937-AR	4 foot	Perf. Side	F28T5	76.9		26281
L5P1C328-WO-4-SEG	0937-AR	4 Foot	Perf. Side	F28T5	73.3		26272
L5P1C354HO-W-4	0937-AR	4 Foot	Perf. Side	F54T5HO	83.4		26179
L5P1C354HO-W-4-SEG	0937-AR	4 Foot	Perf. Side	F54T5HO	78.3		26170
L5P1C354HO-WO-4	0937-AR	4 Foot	Perf. Side	F54T5HO	69.2		26181
L5P1C354HO-WO-4-SEG	0937-AR	4 Foot	Perf. Side	F54T5HO	68.9		26172
L5S1C228-W-4	0935-AR	4 foot	Solid Side	F28T5	79.2		26359
L5S1C228-W-4-SEG	0935-AR	4 Foot	Solid Side	F28T5	76.4		26302
L5S1C228-WO-4	0935-AR	4 Foot	Solid Side	F28T5	80.3		26361
L5S1C228-WO-4-SEG	0935-AR	4 Foot	Solid Side	F28T5	75.2		26304
L5S1C254HO-W-4	0935-AR	4 Foot	Solid Side	F54T5HO	80.7		26371
L5S1C254HO-W-4-SEG	0935-AR	4 Foot	Solid Side	F54T5HO	68		26205
L5S1C254HO-WO-4	0935-AR	4 Foot	Solid Side	F54T5HO	79.1		26373
L5S1C254HO-WO-4-SEG	0935-AR	4 Foot	Solid Side	F54T5HO	65.3		26207
L5S1C328-W-4	0935-AR	4 Foot	Solid Side	F28T5	77.5		26349
L5S1C328-W-4-SEG	0935-AR	4 Foot	Solid Side	F28T5	73.5		26286
L5S1C328-WO-4	0935-AR	4 foot	Solid Side	F28T5	76.4		26351
L5S1C328-WO-4-SEG	0935-AR	4 Foot	Solid Side	F28T5	66.5		26288
L5S1C354HO-W-4	0935-AR	4 Foot	Solid Side	F54T5HO	79.3		26365
L5S1C354HO-W-4-SEG	0935-AR	4 Foot	Solid Side	F54T5HO	67.4		26185
L5S1C354HO-WO-4	0935-AR	4 Foot	Solid Side	F54T5HO	68.8		26367
L5S1C354HO-WO-4-SEG	0935-AR	4 Foot	Solid Side	F54T5HO	57.8		26187
LWPE232-EB	1509-PF	4 foot	2 lamp	F32T8	71.9		23312
LWPE254HO-EB	1509-PF	4 foot	2 lamp	F54T5HO	65.4		25485
LWPE354HO-EB	1509-PF	4 Foot	3 lamp	F54T5HO	59.1		25481
M128-1/1-EB	1108-S	4 foot	1 lamp	F28T5	96.6	1.2	23447
M128-1/1-EB-M1SR-4	1108-S	4 foot	1 lamp	F28T5	100.6	1.2	23448
M154HO-1/1-EB	1108-S	4 foot	1 lamp	F54T5HO	96.8	1.3	23446
M154HO-1/1-EB-M1SR-4	1108-S	4 foot	1 lamp	F54T5HO	95.6	1.2	23445
M228-1/2-EB	1108-S	4 foot	2 lamp	F28T5	100.3	1.2	23443
M228-1/2-EB-M2SR-4	1108-S	4 foot	2 lamp	F28T5	103.3	1.2	23444
M254HO-1/2-EB	1108-S	4 foot	2 lamp	F54T5HO	102.1	1.3	23442
M254HO-1/2-EB-M2SR-4	1108-S	4 foot	2 lamp	F54T5HO	99.7	1.2	23441
MSAG128-W-1/1-EB	0607-AR	4 Foot		F28T5	79.2		21515
MSG128-W-1/1-EB	0605-AR	4 Foot		F28T5	80.4		20277
MSG228-W-1/2-EB	0609-AR	4 Foot		F28T5	68.8		21219
MTD1C232-F3-4	0975-AR	4 Foot	Direct/Indirect	F32T8	83.5		23126
MTD1C232-S3-4	0975-AR	4 Foot	Direct/Indirect	F32T8	77.5		23128

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
MTD1C232-W3-4	0975-AR	4 Foot	Direct/Indirect	F32T8	81.1		23130
MTD1C332-F3-4	0975-AR	4 Foot	Direct/Indirect	F32T8	79.9		23111
MTD1C332-F9-4	0975-AR	4 Foot	Direct/Indirect	F32T8	76.2		23107
MTD1C332-S3-4	0975-AR	4 Foot	Direct/Indirect	F32T8	74.3		23113
MTD1C332-W3-4	0975-AR	4 Foot	Direct/Indirect	F32T8	76.9		23115
MT11C132-00-4	0977-AR	4 Foot	Indirect	F32T8	91.3		23132U
MT11C232-00-4	0977-AR	4 Foot	Indirect	F32T8	89		23131U
MT11C332-00-4	0977-AR	4 Foot	Indirect	F32T8	79.9		23100U
N132-1/1-EB	1102-S	4 foot		F32T8	94.2		14444
N132-120-EB-NAR-4	1102-S	4 foot		F32T8	91.3		16504
N132-120-EB-NAS-4	1102-S	4 foot		F32T8	93.3		16744
N132-120-EB-NDR-4	1102-S	4 foot		F32T8	82		16745
N132-120-EB-NDS-4	1102-S	4 foot		F32T8	89		16746
N132-120-EB-NSR-4	1102-S	4 foot		F32T8	87.5		16502
N132-120-EB-NSS-4	1102-S	4 Foot		F32T8	93.1		16503
NS240	1115-S	4 Foot	2 lamp	F40T12	95.9		14162
OWN232-1/2-EB	1026-WP	4 Foot		F32T8	72.8		ITL41979
OWW432-1/4-EB	1027-WP	4 Foot		F32T8	74.1		ITL41980
PFI232-PMW-4-1/2-EB	0679-AR	4 Foot	2 lamp	F32T8	62.0		28483
ROSO1C232-4	0907-AR	4 Foot	Direct/Indirect	F32T8	83.4		26603
ROSO1C254HO-4	0907-AR	4 Foot	Direct/Indirect	F54T5HO	86.2		25034
ROSO1C332-4	0907-AR	4 Foot	Direct/Indirect	F32T8	84.1		25002
ROSO1C354HO-4	0907-AR	4 Foot	Direct/Indirect	F54T5HO	86.7		25020
ROSO1C432-4	0907-AR	4 Foot	Direct/Indirect	F32T8	83.7		26611
ROSO1C454HO-4	0907-AR	4 Foot	Direct/Indirect	F54T5HO	86.1		25023
ROSP1C232-4	0905-AR	4 Foot	Direct/Indirect	F32T8	78.7		24999
ROSP1C254HO-4	0905-AR	4 Foot	Direct/Indirect	F54T5HO	75.5		25031
ROSP1C332-4	0905-AR	4 Foot	Direct/Indirect	F32T8	75.5		26600
ROSP1C354HO-4	0905-AR	4 Foot	Direct/Indirect	F54T5HO	71.4		26614
ROSP1C432-4	0905-AR	4 Foot	Direct/Indirect	F32T8	76.9		24994
ROSP1C454HO-4	0905-AR	4 Foot	Direct/Indirect	F54T5HO	63.8		25026
ROSS1C232-4	0909-AR	4 Foot	Indirect	F32T8	90.4		24996U
ROSS1C254HO-4	0909-AR	4 Foot	Indirect	F54T5HO	85.5		25028U
ROSS1C354HO-4	0909-AR	4 Foot	Indirect	F54T5HO	75.1		26617U
ROSS1C432-4	0909-AR	4 Foot	Indirect	F32T8	81.6		24995U
ROSS1C454HO-4	0909-AR	4 Foot	Indirect	F54T5HO	62.7		25027U
RT148HO	452-SR	4 foot	1 lamp	F48T12HO	81.7		22732
RT196	451-SR	8 foot	1 lamp	F96T12 Slimline	81.7		22939
RT196HO	452-SR	8 foot	1 lamp	F96T12HO	81.7		22932

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
RT232-1/2-EB	450-SR	4 foot	2 lamp	F32T8	85.3		16278
RT248	451-SR	4 foot	2 lamp	F48T12 Slimline	83.4		14152
RT248HO	452-SR	4 foot	2 lamp	F48T12HO	77.8		22775
RT259-1/2-EB	451-SR	8 foot	2 lamp	F96T8 Slimline	92.8		ITL42046
RT296	451-SR	8 foot	2 lamp	F96T12 Slimline	90.2		ITL42044
RT296HO-1/2-EB	452-SR	8 foot	2 lamp	F96T12HO	84.4		ITL42050
SI132-1/1-EB	1402-IF	4 Foot		F32T8	92.5		ITL42318
SI159-1/1-EB	1402-IF	4 foot		F96T8 Slimline	97		ITL42180
SI196	1402-IF	8 foot		F96T12 Slimline	97.9		ITL42178
SI196HO	1404-IF	8 foot		F96T12HO	91.7		ITL42182
SI232-1/2-EB	1402-IF	4 Foot		F32T8	92.1		ITL42319
SI259-1/2-EB	1402-IF	4 Foot		F96T8 Slimline	95.6		ITL42181
SI296	1402-IF	8 foot		F96T12 Slimline	94.8		ITL42179
SI296HO	1404-IF	8 foot		F96T12HO	87.4		ITL42183
SI296HO-1/2-EB	1404-IF	8 foot		F96T12HO	91		ITL42185
SJ132-1/1-EB	1029-WP	4 Foot		F32T8	84.3		ITL41969
SJ232-1/2-EB	1029-WP	4 Foot		F32T8	78.6		ITL41970
SLN132-1/1-EB	1540-PF	4 Foot		F32T8	72.3		ITL42328
SLW232-1/2-EB	1540-PF	4 Foot		F32T8	51.3		ITL42329
SMS128-WF-4	0625-AR	4 Foot		F28T5	80.4		20277
SMS228-WF-4	0629-AR	4 Foot		F28T5	68.8		21219
SMSA128-WF-4	0627-AR	4 Foot		F28T5	79.2		21515
SR132-120-EB	1130-S	4 foot	1 lamp	F32T8	98.7		22538
SR232-120-EB	1130-S	4 foot	2 lamp	F32T8	98.6		22537
SR332-120-EB	1130-S	4 foot	3 lamp	F32T8	98.2		22536
SSR196	1116-S	8 foot	1 lamp	F96T12 Slimline	94		14190
ST148HO	452-SR	4 foot	1 lamp	F48T12HO	90		22731
ST196	451-SR	8 foot	1 lamp	F96T12 Slimline	87.5		22941
ST196HO	452-SR	8 foot	1 lamp	F96T12HO	87.5		22934
ST232-1/2-EB	450-SR	4 foot	2 lamp	F32T8	89.9		16279
ST248HO	452-SR	4 Foot	2 lamp	F48T12HO	77		22792A
ST259-1/2-EB	451-SR	8 foot	2 lamp	F96T8 Slimline	97.5		ITL42047
ST296	451-SR	8 foot	2 lamp	F96T12 Slimline	95.2		ITL42045
ST296HO-1/2-EB	452-SR	8 foot	2 lamp	F96T12HO	89.2		ITL42051
STWW232-1/2-EB	740-SA	4 foot	2 lamp	F32T8	75.7	2.1	24179
STWW232-1/2-EB-REF	740-SA	4 foot	2 lamp	F32T8	75.8	2.2	24180
SWB232-1/2-EB	1210-WU	4 Foot	Square	F32T8	82.8		19744
SWN232-1/2-EB	1017-WP	4 Foot		F32T8	75.4		ITL41983
SWW432-1/4-EB	1018-WP	4 Foot		F32T8	74.3		ITL41984

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
SZW232P-1/2-EB	1525-PF	4 Foot	Narrow	F32T8	82.6		19252
SZW232P-1/2-EB	1525-PF	4 Foot	Wide	F32T8	83.4		19253
SZW332C	1525-PF	4 Foot		F32T8	86.0		26582
SZW332P	1525-PF	4 Foot	Wide	F32T8	86		26579
T132-120-EB	1103-S	4 foot	1 lamp	F32T8	94		14444P
T132-120-EB-TAR-4	1103-S	4 foot	1 lamp	F32T8	86.7		16782
T132-120-EB-TAS-4	1103-S	4 foot	1 lamp	F32T8	92.1		16781
T132-120-EB-TDR-4	1103-S	4 foot	1 lamp	F32T8	80.1		16780
T132-120-EB-TDS-4	1103-S	4 foot	1 lamp	F32T8	88.5		16779
T132-120-EB-TSR-4	1103-S	4 foot	1 lamp	F32T8	86.6		16784
T132-120-EB-TSS-4	1103-S	4 foot	1 lamp	F32T8	92.5		16783
T148-120	1104-S	4 foot	1 lamp	F48T12 Slimline	92.6		13960
T148-120-TAR-4	1104-S	4 foot	1 lamp	F48T12 Slimline	83.9		16823
T148-120-TAS-4	1104-S	4 foot	1 lamp	F48T12 Slimline	90		16822
T148-120TDR-4	1104-S	4 foot	1 lamp	F48T12 Slimline	75.7		16821
T148-120-TDS-4	1104-S	4 foot	1 lamp	F48T12 Slimline	84.4		16820
T148-120-TSR-4	1104-S	4 foot	1 lamp	F48T12 Slimline	83.1		16825
T148-120-TSS-4	1104-S	4 foot	1 lamp	F48T12 Slimline	94.7		16824
T196-120	1104-S	8 foot	1 lamp	F96T12 Slimline	92.7		13960P
T1F232-PP-120-1/4-EB	1420-IF	Tandem	10% Uplight	F32T8	91.7		I42334P
T1F232-PR-120-1/4-EB	1420-IF	Tandem	10% Uplight	F32T8	89.6		I42336P
T1F332-PP-120-1/42-EB	1420-IF	Tandem	10% Uplight	F32T8	89.4		I42335P
T1F332-PR-120-1/42-EB	1420-IF	Tandem	10% Uplight	F32T8	86.5		I42337P
T1FD232-P2-120-1/4-EB	1430-IF	Tandem		F32T8	86.3		20269P
T1FD232-PP-120-1/4-EB	1430-IF	Tandem		F32T8	91.7		I42334P
T1FD232-PR-120-1/4-EB	1430-IF	Tandem		F32T8	89.6		I42336P
T1FD332-PP-120-1/42-EB	1430-IF	Tandem		F32T8	89.4		I42335P
T1FD332-PR-120-1/42-EB	1430-IF	Tandem		F32T8	86.5		I42337P
T232-120-EB	1103-S	4 foot	2 lamp	F32T8	97.4		17009
T232-120-EB-TAR-4	1103-S	4 foot	2 lamp	F32T8	81		16791
T232-120-EB-TAS-4	1103-S	4 foot	2 lamp	F32T8	87.8		16792
T232-120-EB-TDR-4	1103-S	4 foot	2 lamp	F32T8	73.5		16793
T232-120-EB-TDS-4	1103-S	4 foot	2 lamp	F32T8	80		16794
T232-120-EB-TSR-4	1103-S	4 foot	2 lamp	F32T8	81.8		16789
T232-120-EB-TSS-4	1103-S	4 foot	2 lamp	F32T8	87.8		16790
T248-120	1104-S	4 foot	2 lamp	F48T12 Slimline	91.3		13957
T248-120-TAR-4	1104-S	4 foot	2 lamp	F48T12 Slimline	79		16811
T248-120-TAS-4	1104-S	4 foot	2 lamp	F48T12 Slimline	87.1		16812
T248-120-TDR-4	1104-S	4 foot	2 lamp	F48T12 Slimline	69.7		16813

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
T248-120-TDS-4	1104-S	4 foot	2 lamp	F48T12 Slimline	78		16814
T248-120-TSR-4	1104-S	4 foot	2 lamp	F48T12 Slimline	77.8		16809
T248-120-TSS-4	1104-S	4 foot	2 lamp	F48T12 Slimline	85.2		16810
T296-120	1104-S	8 foot	2 lamp	F96T12 Slimline	91.3		13957P
T2F232-PP-120-1/4-EB	1410-IF	Tandem	25% Uplight	F32T8	90.4		I42358P
T2F232-PR-120-1/4-EB	1410-IF	Tandem	25% Uplight	F32T8	88		I42359P
TAWN232-EB	1005-WP	Tandem		F32T8	81.5		14955P
TAWN332-EB	1005-WP	Tandem		F32T8	76.5		14954P
TAWW232-EB	1006-WP	Tandem		F32T8	85.3		14957P
TAWW332-EB	1006-WP	Tandem		F32T8	82		14950P
TAWW432-EB	1006-WP	Tandem		F32T8	81.8		14976P
TB2CF40	1111-S	4 foot	2 lamp	CF40	91.9		14167
TCAN232-EB	1020-WP	Tandem	2 lamp	F32T8	77.8		I41974P
TCAW432-EB	1021-WP	Tandem	4 lamp	F32T8	78.3		I41976P
TDWAE132-1/2-EB	1516-PF	Tandem	1 lamp	F32T8	84.5		15065P
TDWAE232-2/2-EB	1516-PF	Tandem	2 lamp	F32T8	85.1		20017P
TDWN232-EB	1010-WP	Tandem		F32T8	79.2		17040P
TDWW232-EB	1011-WP	Tandem		F32T8	83.3		17014P
TDWW332-EB	1011-WP	Tandem		F32T8	78.8		17026P
TDWW432-EB	1011-WP	Tandem		F32T8	78.3		17028P
TEQ232-W-EB	940-SS	Tandem	2 lamp	F32T8	74.8		19991P
TEQ332-W-EB	940-SS	Tandem	3 lamp	F32T8	77.7		19988P
TEV232-W-EB	942-SS	Tandem		F32T8	76.7		20928P
TH148HO-120	1106-S	4 foot	1 lamp	F48T12HO	93.6		13950
TH148HO-120-TAR-4	1106-S	4 foot	1 lamp	F48T12HO	87.8		16842
TH148HO-120-TAS-4	1106-S	4 foot	1 lamp	F48T12HO	95.1		16839
TH148HO-120-TDR-4	1106-S	4 foot	1 lamp	F48T12HO	78		16838
TH148HO-120-TDS-4	1106-S	4 foot	1 lamp	F48T12HO	85.4		16837
TH148HO-120-TSR-4	1106-S	4 foot	1 lamp	F48T12HO	85.3		16844
TH148HO-120-TSS-4	1106-S	4 foot	1 lamp	F48T12HO	93.1		16843
TH148VH-120	1106-S	4 foot	1 lamp	F48T12VHO	92.9		13946
TH148VH-120-TAR-4	1106-S	4 foot	1 lamp	F48T12VHO	84.5		16852
TH148VH-120-TAS-4	1106-S	4 foot	1 lamp	F48T12VHO	92.9		16855
TH148VH-120-TDR-4	1106-S	4 foot	1 lamp	F48T12VHO	75.4		16856
TH148VH-120-TDS-4	1106-S	4 foot	1 lamp	F48T12VHO	80.1		16857
TH148VH-120-TSR-4	1106-S	4 foot	1 lamp	F48T12VHO	82.6		16850
TH148VH-120-TSS-4	1106-S	4 foot	1 lamp	F48T12VHO	89		16851
TH196HO-120	1106-S	8 foot	1 lamp	F96T12HO	93.6		13950P
TH196VH-120	1106-S	8 foot	1 lamp	F96T12VHO	92.9		13946P

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
TH248HO-120	1106-S	4 foot	2 lamp	F48T12HO	92.4		13956
TH248HO-120-TAR-4	1106-S	4 foot	2 lamp	F48T12HO	83		16832
TH248HO-120-TAS-4	1106-S	4 foot	2 lamp	F48T12HO	91.5		16833
TH248HO-120-TDR-4	1106-S	4 foot	2 lamp	F48T12HO	72.5		16834
TH248HO-120-TDS-4	1106-S	4 foot	2 lamp	F48T12HO	77.8		16835
TH248HO-120-TSR-4	1106-S	4 foot	2 lamp	F48T12HO	80.5		16830
TH248HO-120-TSS-4	1106-S	4 foot	2 lamp	F48T12HO	87.9		16831
TH248VH-120	1106-S	4 foot	2 lamp	F48T12VHO	91.9		13938
TH248VH-120-TAR-4	1106-S	4 foot	2 lamp	F48T12VHO	73.4		16864
TH248VH-120-TAS-4	1106-S	4 foot	2 lamp	F48T12VHO	86.4		16863
TH248VH-120-TDR-4	1106-S	4 foot	2 lamp	F48T12VHO	66.6		16862
TH248VH-120-TDS-4	1106-S	4 foot	2 lamp	F48T12VHO	73.1		16861
TH248VH-120-TSR-4	1106-S	4 foot	2 lamp	F48T12VHO	73.9		16866
TH248VH-120-TSS-4	1106-S	4 foot	2 lamp	F48T12VHO	80.4		16865
TH296HO-120	1106-S	8 foot	2 lamp	F96T12HO	92.4		13956P
TH296VH-120	1106-S	8 foot	2 lamp	F96T12VHO	91.9		13938P
THW132-EB	1001-WP	Tandem		F32T8	84.5		14977P
THWN232-EB	1002-WP	Tandem		F32T8	79.5		14941P
THWN332-EB	1002-WP	Tandem		F32T8	75.3		14943P
THWW232-EB	1003-WP	Tandem		F32T8	83.5		14956P
THWW332-EB	1003-WP	Tandem		F32T8	81.5		14952P
THWW432-EB	1003-WP	Tandem		F32T8	79.6		14974P
TIA232-EB	1440-IF	Tandem	Uplight	F32T8	86.6		I42321P
TIKA232-EB	1435-IF	Tandem	2 lamp	F32T8	95.1		19716P
TIS232-EB	1440-IF	Tandem	Solid Top	F32T8	87.4		14838P
TM128-EB	1108-S	Tandem	1 lamp	F28T5	96.6		23447P
TM154HO-EB	1108-S	Tandem	1 lamp	F54T5HO	96.8		23446P
TM228-EB	1108-S	Tandem	2 lamp	F28T5	100.3		23443P
TM254HO-EB	1108-S	Tandem	2 lamp	F54T5HO	101.7		23442P
TOWN232-EB	1026-WP	Tandem		F32T8	72.8		I41979P
TOWW432-EB	1027-WP	Tandem		F32T8	74.1		I41980P
TRM232-1/4-EB	947-SS	Tandem		F32T8	87.3		ITL42416
TS296	1118-S	8 foot	2 lamp	F96T12 Slimline	90.2		14173
TS296HO	1118-S	8 foot	2 lamp	F96T12HO	90.2		14171
TSI132-EB	1402-IF	Tandem		F32T8	92.5		I42318P
TSI232-EB	1402-IF	Tandem		F32T8	92.2		I42319P
TSJ132-EB	1029-WP	Tandem		F32T8	84.3		I41969P
TSJ232-EB	1029-WP	Tandem		F32T8	78.6		I41970P
TSR132-120-EB	1130-S	Tandem	1 lamp	F32T8	98.7		22538P

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
TSR232-120-EB	1130-S	Tandem	2 lamp	F32T8	98.6		22537P
TSR332-120-EB	1130-S	Tandem	3 lamp	F32T8	98.2		22536P
TSWN232-EB	1017-WP	Tandem		F32T8	75.4		I41983P
TSWW432-EB	1018-WP	Tandem		F32T8	74.3		I41984P
TT232-EB	1103-S	Tandem	2 lamp	F32T8	97.4		17009P
TV2WAE132-1/2-EB	1506-PF	Tandem	1 lamp	F32T8	84.5		15065P
TV2WAE232-2/2-EB	1506-PF	Tandem	2 lamp	F32T8	85.1		20017P
TVCAN232R2-EB	717-SA	Tandem	2 lamp	F32T8	77.8		I41974P
TVCAW432R-EB	717-SA	Tandem	4 lamp	F32T8	78.3		I41976P
TW248	1110-S	4 foot	2 lamp	F48T12 Slimline	98		13958
TW248HO	1110-S	4 foot	2 lamp	F48T12HO	97.4		13953
TW248VH	1110-S	4 foot	2 lamp	F48T12VHO	97.1		13942
TW296	1110-S	8 foot	2 lamp	F96T12 Slimline	98.5		13958P
TW296HO	1110-S	8 foot	2 lamp	F96T12HO	97.8		13953P
TW296VH	1110-S	8 foot	2 lamp	F96T12VHO	97.1		13942P
V2WAE132-1/1-EB	1504-PF	4 foot	1 lamp	F32T8	84.5		15065
V2WAE148HO	1504-PF	4 foot	1 lamp	F48T12 Slimline	89.6		15068
V2WAE196	1506-PF	8 foot	1 lamp	F96T12 Slimline	93.2		BL7380
V2WAE196HO	1506-PF	8 foot	1 lamp	F96T12HO	81.8		BL7384
V2WAE232-1/2-EB	1504-PF	4 foot	2 lamp	F32T8	85.1		20017
V2WAE248HO	1504-PF	4 foot	2 lamp	F48T12 Slimline	74.1		15067
V2WAE259-1/2-EB	1506-PF	8 foot	2 lamp	F96T8 Slimline	76.6		LSC7929
V2WAE286HO-1/2-EB	1506-PF	8 foot	2 lamp	F86T8HO	72.6		LSC7930
V2WAE296-1/2-EB	1506-PF	8 foot	2 lamp	F96T12 Slimline	85.9		BL7382
V2WAE296HO-1/2-EB	1506-PF	8 foot	2 lamp	F96T12HO	73.1		BL7386
V2WAE332-1/3-EB	1504-PF	4 Foot	3 lamp	F32T8	74.9		28417
VCAN232R-1/2-EB	717-SA	4 Foot	2 lamp	F32T8	72.8		ITL41974
VCAW332R-1/3-EB	717-SA	4 Foot	3 lamp	F32T8	79.8		ITL41975
VCAW432R-1/4-EB	717-SA	4 Foot	4 lamp	F32T8	74.1		ITL41976
VFS09CDIN-G	1541-PF		2 lamp	PL9W	78.9		22638
VFS09CDIN-PW	1541-PF		2 lamp	PL9W	64.3		22640
VTWT232-TG-1/2-EB	1530-PF	4 foot	2 lamp	F32T8	73.5		16144
VTWT248HO-TG	1530-PF	4 foot	2 lamp	F48T12HO	62.1		16147
VTWT332-TG-1/3-EB	1530-PF	4 foot	3 lamp	F32T8	71.1		16141
VTWT348HO-TG	1530-PF	4 foot	3 lamp	F48T12HO	55.2		16146
WB117-WO-120-1/1-EB	1206-WU	2 foot	1 lamp	F17T8	78.1		17288
WB125-WO-120-1/1-EB	1206-WU	3 foot	1 lamp	F25T8	76.9		17290
WB132-WO-120-1/1-EB	1206-WU	4 foot	1 lamp	F32T8	78.9		17286
WB217-WO-120-1/2-EB	1206-WU	2 foot	2 lamp	F17T8	71		17287

Day-Brite Fluorescent Cross References With Warehouse-Lighting.com
Call For Cross Reference

Catalog_Number:	Spec Sheet:	Size:	Type::	Lamp:	Efficiency:	S_MH:	IES_File:
WB225-WO-120-1/2-EB	1206-WU	3 foot	2 lamp	F25T8	73.4		17289
WB232-CP-1/2-EB	1206-WU	4 Foot	2 lamp	F32T8	82.9		28333
WB232-WO-1/2-EB	1206-WU	4 Foot	2 lamp	F32T8	62.2		28390